CONTROL

ED

F 3007 y 1960 SYSTEMS . INSTRUMENTATION . DATA PROCESSING . ENGINEERING . APPLICATIONS

1959

Volume 2

Nos. 7 to 18

ROWSE MUIR PUBLICATIONS LTD., 3 PERCY STREET, LONDON, W.1, ENGLAND



INDEX TO VOLUME TWO

KEY

January February March

TITLE INDEX

May June July

September October November XUN

Page Cockrell, William D. Industrial Electronics Handbook Chorafas, D. N. Prof. Dr. Opera-tions Research for Industrial Oates, J. A. Automation in Produc-tion Engineering Olson, H. F. Dynamical Analogies (2nd Edition) Pressman, A. I. Design of Transis-torized Circuits for Digital Com-Page Advances in Ultrasonic Flaw Detec-tion by J. Brigg Aerodynamics—What A Control En-gineer Needs to Know by F. R. J. Spearman O126 Ju82 M103 Management Coxon, W. F. Flow Measurement and Control Au96 A96 M84 Spearman Air Conditioning at Lloyd's Autocontrolled Oxygen-steel Production by J. Bellis Autocontrolled Transmission in Hillputers S.I.M.A. British Instruments Singer, T. E. R. Information and Communication Practice in In-A119 and Control Culbertson, James T. Mathematics and Logic for Digital Devices Drucker, Peter F. The Landmarks Jy42 of Tomorrow Frost-Smith, E. H. The Theory and Design of Magnetic Amplifiers George Allen and Unwin Scientific and Learned Societies of Great Britain Gibson, L. F., and Tytour, F. B. dustry man Minx Automatic Control in Russia by O109 0126 Ma119 dustry Mith, Charles V. L. Electronic Digital Computers Tucker, G. K. and Wills, D. M. A Simplified Technique of Control System Engineering Tustin, Prof. A. Position Control of Massive Objects A. Asbury A. Asbury Automatic Marshalling of Railway Wagons by J. F. H. Tyler Ju66, Automatic Propeller Synchronization Automatic Propeller Control in Industry —S.I.T. Symposium A119 D102 Britain Gibson, J. E. and Tuteur, F. B. Control System Components Gotlieb, C. C. and Hume, J. N. P. High Speed Data Processing Grabbe, E. M., Ramo, S. and Wooldridge, D. E. Handbook of Automation, Computation and Control: Vol. 1, Control Fundamentals Guilbaud, G. T. What is Cyber-Ma117 M87 198 Better Use of Britain's Capital by G. B. G. Potter Blood Pressure Controlled Electropneumatically Boiler Control at Willington 'A' Breathing Controlled Automatically Books Reviewed by titles J98 A Simplified Technique of Control System Engineering by G. K. Tucker and D. M. Wills Automatic Measurement of Quality in Process Plants edited by G. D. S. A65 N125 Ma117 Automatic Measurement of Quality in Process Plants edited by G. D. S. MacLellan Automation in Production Engineering by J. A. Oates Control System Components by J. E. Gibson and F. B. Tuteur Design of Transistorized Circuits for Digital Computers by A. I. Pressman Dictionary of Guided Missiles and Space Flight by Grayson Metrill Dynamical Analogies (2nd Edition) by H. F. Olson Electronic Digital Computers by Charles V. L. Smith Electronic Engineer's Reference Book by L. E. C. Hughes English-Russian Russian-English Electronics Dictionary Flow Measurement and Control by W. F. Coxon Handbook of Automation, Computation and Control: Vol. I., Control Fundamentals by E. M. Grabbe, S. Ramo, and D. E. Wooldridge Guilbaud, G. T. What is Cyber-M102 Books Reviewed—by authors' names O126 netics? netics? Hofmann, Rolf. Planung und Projektierung automastisierter Anlagen Hollingdale, S. H. High Speed Computing—Methods and Appli-Aseltine, John A. Transform Method in Linear System Analysis Attura, G. M. Magnetic Amplifier A119 Attura, G. M. Magnetic Amplifier Engineering Bendat, J. S. Principles and Applications of Random Noise Theory Biondi, F. P. edits Transistor Technology, Vols. II and III Bower, John L. and Schultesiss, Peter M. Introduction to the Design of Servomechanisms Brit. I.R.E. Selected Abstracts from The Journal of the Brit. I.R.E. 1946 to 1958 Bruinsma, A. H. Multivibrator Circuits and Practical Robot Circuits Au96 Computing cation Hughes, L. E. C., Electronic Engin-eer's Reference Book Humphrey, W. S., Jr. Switching Circuits with Computer Applica-D154 Au96 F116 Humphrey, Circuits with Computer tions Jury, Eliahu 1. Sample Data Control Systems Lo. A. W. and others Transistor M103 S132 Ma117 Ju116 trol Systems Lo, A. W. and others Transistor Electronics MacLellan, G. D. S. edits Automatic Measurement of Quality in Process Plants Mayer, R. W., see Chestnut, H. Merrill, Grayson Dictionary of Guided Missiles and Space Flight Nixon, Floyd E. Principles of Automatic Controls cuits and tractical cuits cuits and Logical Design Chestnut, H. and Mayer, R. W. Servomechanisms and Regulating System Design Volume 1 M102 D154 Grabbe, S. Wooldridge Ma117 D154

Page	Pa	Page Page
High Speed Computing-Methods	Ford Use Automatic 'Knock-off'	-Estimating Damping Ratio from Fre-
and Application by S. H. Holling-		quency Response by D. R. Dudgeon F79, M77
dale High Speed Data Processing by		95 F/9, M//
C. C. Gotlieb and J. N. P. Hume J98	Hydraulic Control of Radar Height- finder O1	07 Fitness, Reliability and Standardiza-
Industrial Electronics Handbook by		183 non by M. L. Joien M33
William D. Cockrell 0126	Pneumatic Control of Dispensers D1	Flight Automatically Controlled S116 Flow Measurement Without Restric-
Information and Communication Practice in Industry by T. E. R.	Programme-controlled Capstan Lathe D1	According to the Della According to the
Singer Ma119	Ships Turn to Automatic Steering	Ford Use Automatic 'Knock-off'
Introduction to the Design of Servo-		94 Gauging M86
mechanisms by John L. Bower,		183 440 Temperature Points For Your Bookshelf see Books Reviewed
and Peter M. Schultesiss Mal17 Magnetic Amplifier Engineering by		Fourteenth I.S.A. Conference D126
G. M. Attura Au96	Comunica Canberra as Parget	From Drawing Board to Board Room
Mathematics and Logic for Digital	Control Survey	by E. C. Vorlander J49
Devices by James T. Culbertson F116 Multivibrator Circuits and Practical	Electrohydraulic Valves by J. K.	From Low Hover to High Mach by R. J. A. Paul O104
Robot Circuits by A. H. Bruinsma S132		189 R. J. A. Faul
Operations Research for Industrial	Galvanometer Recorders by K. C.	Galvanometer Recorders by
Management by Prof. Dr. D. N.		K. C. Garner A89 Gas from Oil at Grain by
Chorafas Au96 Planung und Projektierung automa-	Oxygen Analysers by G. M. E.	T A Lucas Au64
stisierter Anglagen by Rolf	Williams Potentiometric Recorders by C. W.	Gentle Switch, The by
Hofmann J99		David B. Pinkney Jy40
Position Control of Massive Objects by Prof. A. Tustin Jul16	Transfer Function Analysers	J63 Getting Over Problems in the Gas In- dustry—I by R. E. Clifford D105
Principles and Applications of Ran-		Graphical Techniques for Control
dom Noise Theory by J. S.	Omserctors by G. F. Machell	Systems by N. O. Meadows
Bendat Principles of Automatic Controls by	Controlling Guided Missiles	Au93, S109, N117 Guided Missiles, Controlling see Con-
Floyd E. Nixon Jul16	Aerodynamics-What a Control En-	trolling Guided Missiles
Sample Data Control Systems by	gineer Needs to Know by F. R. J.	
Eliahu I. Jury Jul16 Scientific and Learned Societies of	Spearman Controlling Guided Missiles by	A96 Helicopter Turbine a Power Servo, The by A. W. Morley N93
Great Britain George Allen and	Dennis Allen	157 Highly Instrumented Future, A by
Unwin Mal19	Controlling Guided Missiles intro- duced by K. Garner	L. A. Woodhead D101 M54 How to Apply Pressure Characteris-
Selected Abstracts from the Journal of the Brit. I.R.E. 1946 to 1958	Radar Beam-riding by H. R. and	tics of Linear Valves-4 by P. D.
The British Institution of Radio	M. A. Joiner	u75 Boyer J77
Engineers M103 Servomechanisms and Regulating	Semi-active Homing Missiles by J L. Sendles J	Human Operator—Easing His Task by A. L. Buchan Au72
System Design Volume I by H.	System Assessment and Initial	Hydraulic Control of Radar Height-
Chestnut and R. W. Mayer D154		S91 finder Ollo Nills
S.I.M.A. British Instruments A121 Switching Circuits and Logical De-	M. A. Perry M	Hydraulic Oils by J. C. Wells N115 Hydraulic Servo Valves, an Introduc-
sign by S. H. Caldwell M102	Counting Control in Zip Fastener	tion to by R. Hadekel S115, O120, D137
Switching Circuits with Computer	Manufacture Ma	102
Applications by W. S. Humphrey, Jr. M102	Cutting Boiler Fuel Costs by	Ideas Applied
The Landmarks of Tomorrow by		A66 A D.C. Tachometer Generator by E. M. Dunstan S112
Peter F. Drucker O126	S. A. Bergen	Aerodynamics for Control Engine
The Theory and Design of Magne- tic Amplifiers by E. H. Frost-	D.C. Tachometer Generator, A by	eers by F. R. J. Spearman
Smith A119	E. M. Dunstan	J. Thillaimuthu Ma99, Ju94
Transform Method in Linear Sys-	Data Sheets	An Improved Governing System for
tem Analysis by John A. Aseltine A119 Transistor Electronics by A. W. Lo	Estimating Damping Ratio from	Small Electric Motors by R. C. Weston Ma96
and others Au96	Frequency Response by D. R.	An Introduction to Hydraulic Servo
What is Cybernetics? by G. T. Guilbaud 0126	Dudgeon F79, 1 Graphical Techniques for Control	Walves by R. Hadekel S115, N120, D137
Breathing Controlled Automatically D133	Systems by N. G. Meadows	Data Reduction Without Tears by
British Machine-tool Modes in Paris	Au93, S109, N	Displacement Measurement Using
by Michael S. John 0102	How to Apply Pressure Character-	Semiconductors by C. Hilsum Ay
Cabin Air Control in Vickers Van-	istics of Linear Valves—4 by P. D. Boyer	J77 Flow Measurement Without Re-
guard F98	Pneumatic Feedback Circuits by	Numerical Control for a lie Borer
Calibrated Relay—The by J. M.	Noel Ream Useful Networks for Servo Designers	by M. Salter
Kingsland Canadian Letter, A by Dr. A. Porter F61	by R. J. Truscott	A89 Small Angle Tachogenerator by D13
Cern's Synchro-Cyclotron by F. J.	- Describing Functions for Non-linear	The Calibrated Relay by
Woodcock and G. Boyadjian N104 Continental Machine Tool Control by	Servo Systems by P. J. Bhatt	J. M. Kingsland May
F. Koenigsberger N112	Digital Techniques by R. E. Fischbacher	M68 The Digital Differential Analyser by D. F. Walker Ju95, Au9.
Control at Farnborough S82	Digits for Control? by M. James	S81 The Multi-turn Digitizer by
	Displacement Measurement Using	D. S. Evans Ju92, Au9
Control In Action	Semiconductors by C. Hilsum	A91 Vibration of Lightly-loaded Spring Systems by P. G. Morgan Ju9
Air Conditioning at Lloyd's M84 Autocontrolled Transmission in Hill-	Electrical Transducers Series	Ilmac by C. W. Munday D11
man Minx O109	pH-and Ways of Measuring It by	
Automatic Propeller Synchroniza-	D. G. Anderson Photoelectric Cells by K. M. Green-	J79 Industrial Publications — J67, F114, M100 A118, Ma115, Jul14, Au88, S122, O123
Blood Pressure Controlled Electro-	land	F90 N138, D152
pneumatically N125	Digital Techniques by R. E.	3//0 7 3 4-1 3/11-4
Boiler Control at Willington 'A' Ma100	Fischbacher Polarography and its Industrial Ap-	M68 Industry's Viewpoint A Highly Instrumented Future by
Cabin Air Control in Vickers Van- guard F98	plications by D. G. Anderson	Au81 L. A. Woodhead D10
Colman Study Autocontrolled	Piezoelectric and Magnetostrictive	Better Use of Britain's Capital by
Check Weighing Ju88	Elements by R. E. Fischbacher Nuclear Radiation and X-rays by	S104 G. B. G. Potter A6
Continuous Tinplate Production at Velindre Jy54	T. P. Flanagan N108,	D120 Fitness Reliability and Standardiza-
Control at the Heinz Kitt Factory	Electric Link for Flying Controls, An	tion by M. L. Joteh M.
by A. Danielsson Ju89	by H. H. Dixon	S87 From Drawing Board to Board Room by E. C. Vorlander
Controlling Guided Missiles by Dennis Allen M57	Electric Motors—An Improved Gov- erning System for Small by R. C.	It's Us or U.S. by J. W. Ford Jud
Counting Control in Zip Fastener	Electrically Operated Throttling Valves	Measurement is Essential for Con-
Manufacture Ma102 Flight Automatically Controlled S116	by Glenn F. Brockett Electrohydraulic Valves by	O88 trol by H. C. Pritchard O8 Partnership in Automation by
Western Manual Controlled 3110	I V Doyle	Augo John Rolton Fe

Page	Page	Page
Semiconductors and Control Equip- ment by Dudley Saward Ma69	Numerical Control for a Jig Borer by M. Salter O110	Transfer Function Analysers J63 Transistors by D. C. Brown Ma78
Specialization Pays Handsomely by Denis Taylor N87	Oxygen Analysers by G. E. Williams D129	Transistors in Industry by E. Wolfendale Ma70
The Gentle Switch by David B. Pinkney Jy40	Partnership in Automation by John Bolton F65	Transistors—Their Effect on Instru- ment Design by P. Cowlin Ma74
Instrumentation and Control in the		Uniselectors by G. F. Machen M74
Brewing Industry by B. C. Kilkenny O98, N90	People In Control — J96, F106, M96, A110, Ma104, Au92, S111, O117, N132, D144	Uniselectors Enter Automatic Pro- gramme Control by H. Law S96, O88
Instrumentation at Fawley Instruments Aid G.W. Research by	pH-and Ways of Measuring it by	Universal Mill at Port Talbot F97 Unmanned Canberra as Target J84
M. A. Perry It's Us or U.S. by J. W. Ford Ma89 Ju65	D. G. Anderson J79 Photoelectric Cells by	Useful Networks for Servo Designers by R. J. Truscott A89
Leading Articles	K. M. Greenland F90 Physical Society Show 1959 J58	What is Control Engineering? by
Hush-Hush Know Your Pass Words A63 N85		C. M. Burrell and J. K. Lubbock J72
Lagging or Leading? Ju63	Pick-Off — J90, F96, M91, A103, Ma105, S118, O101, N122, D125 Piezoelectric and Magnetostrictive	AUTHOR INDEX
Quickening the Pace J47 Rein or Spur? F63 Second Year Course Jy39	Elements by R. E. Fischbacher S104 Pneumatic Control of Dispensers D134	Allen, Dennis Controlling Guided Missiles M57
Society Tangle S79	Pneumatic Feedback Circuits by	Andrew, A. M.: Review of Multi-
The Dismal Dimension O81 Transistors Take Over Ma67	Noel Ream Ma103 Polarography and Its Industrial Appli-	vibrator Circuits and Practical Robot Circuits by A. H. Bruinsma S132
Uncertain Terms Au63 Wanted—A National Control	cations by D. G. Anderson Au81 Potentiometric Recorders by	Anderson, D. G. pH—and Ways of Measuring it J79
School M51 Worlds To Conquer D99	C. W. Munday Process Control with Infra-red Gas-	Polarography and its Industrial Applications Au81
Letters to Control, Writers of	Analysers by A. E. Martin, A. M. Reid and J. Smart D108	Asbury, A. Automatic Control in Russia D102
Anderson, D. G. D95	Programmed-controlled Capstan Lathe D132	Atkinson, Peter Replacing the Human Inspector J50, F71
Audley, A. Banbury, J. Bhatt, P. J. N83 Ju59 A59	Programmed Machining by	Balls, B. W. Flow Measurement With-
Bhatt, P. J. A59 Burns, D. J45		out Restriction A90
Clausen, H. O79, N81 Crabbe, J. Peter O79	Quo Vadis? by 'Scryer' N88	Review of Automatic Measurement of Quality in Process Plants edi-
Czajkowski, Z. M47 Day, R. H. F59	Radar Beam-Riding by H. R. and M. A. Joiner Au75	ted by G. D. S. MacLellan M102 Beck, G. N. J.: Review of English-
Dix, N. G. J45	Radio Telemetry for Guided Weapons by M. A. Perry A102	Russian Russian-English Dictionary J99 Bell, D. A.: Review of What is
'Don Servo' Ma63	Reading by Machine by P. A. M. Curry F66	Cybernetics? by G. T. Guilbaud O126 Bellis, J. Autocontrolled Oxygen-steel
Emmerson, E. Ju59 Fagan, C. H. A61	Regulating the Open Hearth Furnace by K. A. Steele M63	Production Jy42 Bergen, S. A. Data Reduction With-
Farr, R. B. S77 Foster, D. B. Jy39	Replacing the Human Inspector	out Tears A92
Garner, K. C. Goodman, L. Landon J42		Bhatt, P. J. Describing Functions for Non-linear Servo Systems J68
Griffiths, Laurence D97 Hartley, Sir Harold A59 Harris, N. L. N83	Reports of Meetings British Institution of Radio Engin-	Review of Introduction to the De- sign of Servomechanisms by John
Harris, N. L. N83 Hilsum, C. M47	eers — Symposium — Radio Telemetry for Guided Weapons by	L. Bower Ma117 Bolton, John Partnership in Automa-
Hind. E. C. S77 Howells, J. D. J42	M. A. Perry Fourteenth I.S.A. Conference D126	Boyer, P. D. How to Apply Pressure
Hull, M. D. M49, A61, Ma65	Institution of Electrical Engineers— Discussion—Spearheads of Com-	Characteristics of Linear Valves—4 J77 Boyadijan, C. see Woodcock F. J.
Lee, A. A61	puter Progress by E. A. Newman M89	Boyadjian, C. see Woodcock F. J. Brailsford, F.: Review of Magnetic Amplifier Engineering by G. M.
Lloyd, C. G. Ma63 Lovering, W. F. Au59	Ilmac by C. W. Munday Society of Instrument Technology—	Attura Brigg, J. Advances in Ultrasonic Flaw
McAllister, J. R. A61 Meadows, N. G. F59, S75, O77	Symposium—Automatic Weight Control in Industry M87	Detection Ju82
Munday, C. W. F59 Peattie, R. C. M49 Porter, Dr. A. F61	Society of Instrument Technology— Symposium—New Method of	Brockett, Glenn F. Electrically Op- erated Throttling Valves O88
Porter, Dr. A. F61 Rivington, C. T. D95	Metering Flow by A. H. Isaac F100	Brookes, B. C. Review of Informa- tion and Communication Practice
Rivington, C. T. Robbins, B. G. Shaw, Derrick M49	Semi-active Homing Missiles by J. L. Sendles Ju71	in Industry edited by T. E. R. Singer Ma118
Shepherd, R. K. J. 61 Shilstone, B. F. J. 65	Servo Amplifiers for the Navy by	Brown, D. C. Transistors Ma78 Brunschweiler, David Textile Control
Shneydor, N. S77	L. S. Bryson and R. J. Truscott A73, Ma82	-A Picture Guide Bryson, L. S. and Truscott, R. J.
Watson, J. A. D95 Whitehouse, T. G. 079	Servo Problems, an Engineer's Approach to by H. Clausen S100	Servo Amplifiers for the Navy A73, Ma82
Wigans, W. D97	Shins Turn to Automatic Steering Control A94	Buchan, A. L. Human Operator— Easing His Task Aur.
Mallo, Aulo4, Sl30, Ol16, Nl30, Dl43	Simulating Absent Units in Aircraft Systems by M. E. Maxwell Ju79	Bunting, J. W.: Review of A Simpli- fied Technique of Control System
Magnets—A New Approach To by J. Thillaimuthu Ma99	Simulators for Seaworthiness N98 SIR see Letters To Control	Engineering by G. K. Tucker and D. M. Wills Mall?
Making Aircraft Systems Work by J. J. Foody and F. D. C. Mills	Small Angle Tachogenerator by J. A. Wade D136	Burrell, C. M. and Lubbock, J. K. What is Control Engineering? 37.
F84, M78, A84	Spearheads of Computer Progress by E. A. Newman M89	Clausen, H. An Engineer's Approach
Measurement is Essential for Control by H. C. Pritchard 083	Specialization Pays Handsomely by Denis Taylor N87	to Servo Problems Clifford, R. E. Getting Over Problems
Missile Control by K. Garner M54 Missiles, Controlling, Guided see Con-	Stagnation-pressure Servo-controller for a Blow-down Wind Tunnel by	in the Gas Industry—I Cowlin, P. Transistors—Their Effect
New For Control — J91, F108, M97, A112.	H. Fuchs and D. Wheable O84	on Instrument Design Ma7-Curry. P. A. M. Reading by
Ma111, Ju96, Jy51, Au86, S119, O118, N134, D146	Stores for Fast Digital Computers by W. Renwick N101	Machine F6
News Pound-up - J86, F103, M92, A104,	Survey see Control Survey System Assessment and Initial Design	Danielsson, A. Control at the Heinz Kitt Factory Ju8
Ma106, Jy56, Au98, S124, O113, N127, D139	by Peggy Hodges S91	Douce, John L.: Review of Principles
New Ways of Metering Flow by	Tape-controlled Machining at Creed M83 Textile Control—A Picture Guide by	and Applications of Random Noise Theory by J. S. Bendat F11
A. H. Isaac Nuclear Radiation and X-Rays by F100	David Brunnschweiler J55 Transducers Series, Electrical see Elec-	Dudgeon, D. R. Estimating Damping Ratio from Frequency Response
T. P. Flanagan N108 D120	trical Transducers Series	F79, M7

Page on 9, M77

> M53 S116 A90

M86 A95 red D126

J49 O104 A89 Au64 Jy40 D105

, N117


N93 D101 J77 Au72 O107 N115 D, D137

S112 A93 y9, Ju94 Ma96 0, D137 y A92 8 A91 C110 D136 Ma98 S, Au95 12, Au94 8 Lu93

D101

M53 J49 Ju65 O83 F65

	Page		Page		Page
Dunstan, E. M. A D.C. Tachometer Generator	S112	Lubbock, J. K. see Burrell Lucas, T. A. Gas from Oil at Grain	J72 Au64	Renwick, W. Stores for Fast Digital Computers	N101
Dixon, H. H. An Electric Link for Flying Controls	S87	Macdonald, A. T. Programmed Machining J6	4, F71	Roberts, A. P. Review of Transform Method in Linear System Analysis by John A. Aseltine	A119
E., A. E.: Review of Industrial Elec- tronics Handbook edited by William		Machen, G. F. Uniselectors Martin, A. E., Reid, A. M., Smart,	M74	Rowe, R. G. see Dudgeon, D. R.	M77 Au89
D. Cockrell Review of Electrical Engineers' Re-	O126	J. Process Control with Infra-Red Gas-Analysers	D108	Salter, M. Numerical Control for a	O110
ference Book edited by L. E. C. Hughes	D154	Maxwell, M. E. Simulating Absent Units in Aircraft Systems Meadows, N. G. Graphical Tech-	Ju79	'Scryet' Quo Vadis? Sendles, J. L. Semi-active Homing	N88
Evans, D. S. The Multi-turn Digitizer Fischbacher, R. E. Digital Techniques	Ju92 M68	niques for Control Systems Au93, S109		Missiles Short, W. Cutting Boiler Fuel Costs Smart, J., see Martin, A. E.	Ju71 A66 D108
Piezoelectric and Magnetostrictive Elements Flanagan, T. P. Nuclear Radiation	S104	Mills, F. D. C. see Foody, J. J. F84, M7 Morgan, P. G. Vibration of Lightly-	/8, A84	Technology, Vols. II and III edited	
Foody, J. J. and Mills, F. D. C.	D120	loaded Spring Systems Morley, A. W. The Helicopter Tur-	Ju93	by F. J. Biondi Spearman, F. R. J. Aerodynamics— What a Control Engineer Needs to	F117
Making Aircraft Systems Work F84, M75 Ford, J. W. It's Us or U.S.	8, A84 Ju65	bine a Power Servo N93 Munday, C. W. Potentiometric Re- corders	F80	Know Stanesby, A. O. Review of Planung und Projektierung automatisierter	A96
foster, D. B.: Review of Automa- tion in Production Engineering by		Ilmac Mutch, E. N.: Review of High	D115	und Projektierung automatisierter Anlagen by Rolf Hofmann Steele, K. A. Regulating the Open	J99
J. A. Oates Fuchs, H. and Wheable D. A Wind- tunnel Servo for Stagnation Pressure		Speed Computing Methods and Application by S. H. Hollingdale	Au96	Hearth Furnace Steme, J. T.: Review of Dictionary of Guided Missiles and Space Flight	M63
Garner, K. Missile Control	M54	Newman, E. A.: Review of High Speed Data Processing by C. C.		of Guided Missiles and Space Flight edited by Grayson Merrill	O126
Galvanometer Recorders Goodman, L. Landon: Review of The Landmarks of Tomorrow by		Gotlieb and J. N. P. Hume Spearheads of Computer Progress Nightingale, J. M.: Review of Sample	J98 M89	Taylor, Denis Specialization Pays Handsomely	N87
Peter F. Drucker Greenland, K. M. Photoelectric Cells	O126 F90	Data Control Systems by Eliahu I Jury		Taylor, P. L.: Review of Dynamical Analogies by H. F. Olson Thillaimuthu, J. A New Approach to	M103
Hadekel, R. An Introduction to Hydraulic Servo Valves S115, O120		Oatley, C. W.: Review of Transisto Electronics by A. W. Lo, R. O	,	Magnets Tootill, G. C. Review of Switching	, Ju94
Hilsum, C. Displacement Measure- ment Using Semiconductors	A91	Endres, J. Zawels, F. D. Waldhaue and C-C. Cheng		Circuits with Computer Applica- tions by W. S. Humphrey, Jr. Truscott, R. J. see Bryson, L. S. Ma8	M102 2, A73
Hodges, Peggy System Assessment and Initial Design	S91	Parry, J. V.: Review of Principles of Automatic Controls by Floyd E		Useful Networks for Servo Designers Tyler, J. F. H. Automatic Marshalling	A89
Isaac, A. H. New Way of Metering Flow	F100	Nixon Paul, R. J. A. From Low Hover to	Jul 16	of Railway Wagons Jubi	5, Jy46
James, M. Digits for Control Jamieson, E. M.: Review of Servo-	S81	High Mach Perry, M. A. Instruments Aid G.W Research	O104 Ma89	Vorlander, E. C. From Drawing Board to Board Room	J49
mechanisms and Regulating System Design, Volume I by H. Chestnut		Radio Telemetry for Guided Wea	A102	Wade, J. A. Small Angle Tachogen- erators	D136
and R. W. Mayer Jawor, T. B.: Review of Position Control of Massive Objects by	D154	Pettit, R. D.: Review of The Theor and Design of Magnetic Amplifier by E. H. Frost-Smith	A119	Walker, D. F. The Digital Differential Analyser Wells, J. C. Hydraulic Oils	Ju95 N115
Prof. A. Tustin Joseh, M. L. Fitness, Reliability and	Jul16	Pinkerton, J. M. M. Review of Elec- tronic Digital Computers by Charle	o- :S	West, J. C.: Review of Control Sys- tem Components by J. E. Gibson	
Standardization John, Michael S. British Machine- tool Modes in Paris		V. L. Smith Pinkney, David B. The Gentle Switc Porter, Dr. A. A Canadian Letter	S132 h Jy40 F61	and F. B. Tuteur Weston, R. C. An Improved Govern- ing System for Small Electric	J98
Joiner, H. R. and M. A. Radas Beam-riding	Au75	Potter, G. B. G. Better Use of Britain's Capital	A65	Motors Wheable D., see Fuchs, H.	Ma96 O84
Kent, David: Review of Flow Meas urement and Control by W. F		Pritchard, H. C. Measurement Essential for Control	O83	Williams, G. E. Oxygen Analysers Wilkes, M. V. Review of Mathema- tics and Logic for Digital Devices	D129
Coxon Kilkenny, B. C. Instrumentation and Control in the Brewing Industry O	A119	Rayner, David E.: Review of Britis	A121	by James T. Culbertson Review of Design of Transistorized	F116
Kingsland, J. M. The Calibrated Relay	Ma98	Ream, Noel Pneumatic Feedback Ci cuits Review of Handbook of Autom	Ma103	Circuits for Digital Computers by A. I. Pressman Wolfendale, E. Transistors in Indus	D154
Koenigsberger, F. Continental Mach ine Tool Control	N112	tion, Computation and Control Vol. I. Control Fundamenta	l: ds	Woodcock, F. J. and Boyadjian, G	Ma70
Law, H. Uniselectors Enter Automatic Programme Control	96, O88	edited by E. M. Grabbe, Ramo and D. E. Wooldridge Reid, A. M., see Martin, A. E.	Ma117 D108	Cern's Synchro-cyclotron Woodhead, L. A. A Highly Instrumen ted Future	N104



The new 231 R Computer can hold up to 100 amplifiers and other related non-linear equipment. New removable patch panel greatly speeds programming. Optional items include digital potentiometers and ADIOS (automatic digital input-output system)

NEW
"PACE"
ANALOG
COMPUTER
231 R...

... with highest precision: 0,01 0/8



Page N101

A66 D108

199

M63

0126

M103

M102 2, A73 A89

66, Jy46 8 J49 1- D136

> J98 Ma96 O84 D129


> > F116

D154 Ma70

N104

D101

Dataplotter 1133 A.



131 R Analog Computer



Eight Channel Rectilinear Recorder 1902-D.



Variplotter 1100 - D.

Electronic Associates, Inc. has been the world's leading producer of Analog Computers and Plotting Equipment or over 5 years. For further information on their PACE Equipment the European Sales Office and Computation Center at Brussels is ready to assist European Industry



Rental facilities at European Computation Center in Brussels. Electronic Associates Application engineers are available to assist clients with their problems.




ELECTRONIC ASSOCIATES, INC.

EUROPEAN SALES OFFICE AND COMPUTATION CENTER.
43, rue de la Science - Brussels - Belgium - Tel. 11.43.69

CONTROL January 1960

Tick No 77 on reply card for further details


133





If it's a case of making a hole—
Do it automatically with the

AIRMEC AUTOSET



Autoset fitted to Vero Auto-drill.
6 Spindle Turret Head—32" × 9" table.
Spindle speeds 300-6000 rpm—18" drill capacity.
Full details available from Catmur Machine Tool
Corpn. Ltd., 103 Lancaster Rd., London, W.11

See a demonstration of this at the AIRMEC EXHIBITION NAPIER HALL

VINCENT STREET, S.W.I.

Jan. 18-22, Mon. to Thurs. 10 a.m.-7 p.m. Fri. 10 a.m.-4.30 p.m.



POSITIONS THE WORK

Autoset Automatic co-ordinate setting equipment provides accurate automatic control of the lead screws of a co-ordinate table. It enables the table to be positioned automatically by means of a punched tape (containing co-ordinate information for up to 600 operations) or manually by means of a series of knobs and dials.

SELECTS THE RIGHT TOOL

Facilities are provided for selecting one of up to ten tools and for controlling a large number of other variables such as tool feed rates, feed depths and spindle speeds.

ROBUST AND RELIABLE

No electronic valves used

EASY MAINTENANCE

CUTS OUT ERRORS

Autoset is highly accurate—automatic compensation is provided for table backlash and cumulative lead screw errors.

CUTS THE COST

A complete equipment for automatic control in two dimensions including tape punch costs only £1,500. Manual control considerably less.

Descriptive leaflet No. 186 sent on request

AUTOSET

LOW COST TAPE CONTROL

AIRMEC LIMITED · HIGH WYCOMBE · BUCKS Telephone: High Wycombe 2501/7

XU

WITH
TRANSPARENT
OUST
COVER
AND
PLUG-IN
BASE



CAN NOW BE SUPPLIED AS FOLLOWS :-

A.I.D. A.R.B.
ADMIRALTY
APPROVED
3000 & 600 TYPE RELAYS

6 Change-overs Light Duty • 6 Makes or 6 Breaks Heavy Duty 2 Change-overs Heavy Duty and 2 Change-overs Light Duty

Transistorised to operate as low as 3 Micro-amps

A.C. Operation for: 6v. 12v. 24v. 50v. 110v. and 250v. A.C.

• Double Wound Coils • P.T.F.E. Insulation

Operate and Delay up to 5 Seconds

A.D.S. RELAYS LTD

89-97, ST.JOHN STREET, CLERKENWELL, E.C.I Telephone: CLErkenwell 3393/4/5

CONTROL January 1960

Tick No 79 on reply card for further details

135

.

provides o-ordinnatically e informeans

en tools

les such

is proerrors.

dimen-

al con-

BUCKS

y 1960

Refinery — Whitegate

Instruments --- Honeywell

All electronic temperature recorders

All miniature controllers

All differential pressure flow transmitters

All indicating pressure transmitters and local controllers

All thermocouple assemblies

Honeywell

H First in Control

Honeywell Controls Limited, Ruislip Road East, Greenford, Middlesex. WAXlow 2333

Offices in Dublin, Belfast, London, Birmingham, Manchester, Sheffield, Glasgow,
Middlesbrough, Cardiff, Leeds and in principal cities throughout the world.

nents to The Irish Refining Company Ltd, Whitegate, and The Lummus Company Ltd, who engineered and constructed the refinery



Revised Issue
of the


MUIRHEAD
SYNCHRO
BROADSHEET



This revised issue of the Muirhead Synchro Broadsheet is available to all those interested in servo engineering. Prepared for easy reference, it presents the brief specifications of Muirhead Control Transmitters and Receivers; Motor Tachometers and Tachometer Generators; Two-Phase Servomotors and Resolvers and Linvars in Standard Synchro frame sizes. It is available without charge and will be sent upon request.

MUIRHEAD & CO. LIMITED BECKENHAM · KENT · ENGLAND

y 1960



Why struggle with Mains Voltage Fluctuation?


If you have <u>any</u> problem involving a.c. voltage regulation, the solution is to call in 'Advance'—the C.V.T. specialists.

Investigation of your problem may prove that a standard type Constant Voltage Transformer will meet the case; or maybe, a special design is called for. In either event, the wealth of experience gained by 'Advance' over many years in probing every aspect of mains stabilization provides the surest, quickest, and certainly the most economical, solution to your difficulties.



" VOLTAGE STABILIZATION"

This 'Advance' Booklet gives authoritative information on 'Advance' Constant Voltage Transformers, and the service available to deal with your particular voltage fluctuation problems. Send for a copy.



TO ADVANCE COMPONENTS LIMITED
ROEBUCK ROAD, HAINAULT, ILFORD, ESSEX
Please send me a copy of your booklet "Voltage
Stabilization by Advance."

NAME
POSITION
COMPANY
ADDRESS
G 10

ACVANCE COMPONENTS LIMITED

MAINS STABILIZATION DIVISION

ROBUCK ROAD + HAINAULT + ILFORD + ESSEX + TELEPHONE : HAINAULT + HH

GD 10



Get on top of those stresses and strains

by using Saunders-Roe Foil Strain Gauges.

For example one application recently carried out by our Foil Strain Gauge Consultancy

Service was monitoring of strains in cylinder liners of ship's diesel engines undergoing sea trials.

The judicious use of Foil Strain Gauge
techniques can lead to more efficient designs
with consequent economies in production and
cost over a wide range of industrial activity.
Saunders-Roe engineers are actively engaged
on this work and can help you with your
problems whatever your interests.

Transducers for industrial instrumentation can be supplied with Foil Strain Gauges incorporated to measure, for example, weight, pressure, torque, tractive effort and horsepower.

For details of Saunders-Roe Foil Strain

Gauges and Consultancy Service, write to . . .

SAUNDERS - ROE

bsidiary of WESTLAND AIRCRAFT LTD., YEOVIL

STRAIN GAUGE DIVISION,

OSBORNE, EAST COWES, ISLE OF WIGHT

CPH/SR9/19

mation on

he service fluctuation

ESSEX /oltage

G 10

GD 10

1960

CONTROL January 1960

Tick No 83 on reply card for further details


139

FRIDEN COLLECTADATA

TAPE OPERATED EQUIPMENT

COLLECTS THE FACTS

FROM FAR AND WIDE



This latest range of friden idequipment will collect data from any number of points and punches it onto tape at a data processing centre. The friden 8 channel tape code is used throughout the system, which consists of two basic units; the transmitter, which can be designed to read either tape and edge punched cards, or tabulating cards, and is connected by common cable to the receiver; which punches tape and may be fitted with a Time Code Emitter to record on the tape the time each transmission is received.

The great advantages of this system are its speed, simplicity, and freedom from those inevitable transcription errors of manual recording and collection of data. Amongst its other important features are: provision at the transmitter for identification of each type of transmission; checking at the receiver for odd parity of each code as it is punched, which results in automatic operation of an Error Indicator on the transmitter calling for repeat transmission; a Line Busy Indicator on the transmitter which suspends operation, and automatically allows transmission when the line is clear; transmission will not commence should a data card be wrongly inserted; a special code at the end of a card 'holds' the line clear for any further transmissions required; up to 18 digits of variable data may be set up on the transmitter itself, to be sent whenever a transfer code is read. The scope of the FRIDEN COLLECTADATA is enormous, and any attempt to detail its applications here would be quite impossible. Three of the most significant are Production Control, Time Recording and Stock Control, but anyone conversant with the executive and administrative operations of commerce and industry will envisage many other potential fields of use.



BUSINESS MACHINES LTD
BULMERS have now attained a leading

position in this sphere of IDP, and their team of specialists is at your disposal, for general discussion or to advise on any specific problem. Please write to arrange an appointment or to obtain full details of 'COLLECTADATA' and other FRIDEN IDP equipment;

Bulmers Business Machines Ltd., 47-51 Worship St., London EC2. Tel: MON. 9791. 60

ment er of data annel

stem, : the ed to eards,

ed by

which ith a

1 the

n is

m are

from rrors

on of

rtant rans-

pe of eiver

ched. on of nitter Line which cally ne is

nence erted: olds' ransts of 1 the

ver a f the dany

here

of the

atrol, l, but

utive

com-

many

XU

White and Riches Ltd

-specify † WARMS A/C OF D/C COMPUTING UNITS AND SYSTEMS for research, development and production in the fields of AUTOMATION, AERONAUTICS, MISSILES and SATELLITES to enable complex non-linear problems to be analogued with these advantages RELIABILITY, REPEATABILITY, FLEXIBILITY, HIGH RESOLUTION, FAST RESPONSE and HIGH UTILISATION The full range of units includes E/M SERVO. SERVO AMPLIFIER · LINE AMPLIFIER · RESOLVER AMPLIFIER

† White And Riches Modular Systems

SWITCHES

SERVOS

INERTIA SWITCH LTD

offer a wide range of acceleration-sensitive devices. SWITCHES · PULSE OUTPUT UNITS · SHOCK INDICATORS · OVERSPEED CONTROLS GAS RELEASE VALVES . DEVICES DESIGNED TO YOUR SPECIFICATIONS

- * Axial, radial or rotary response. Momentary or holding contacts. Provision for adjustment or resetting.
- ★ Wide sensitivity range from .05g to 500g.

Quick acting or damped to reduce sensitivity to superimposed vibration

* Stability, accuracy and reliability assured by inherent simplicity of design and use of high quality materials

Head Office: 121 KINGSWAY, W.C.2 Telephone White and Riches Ltd: CHAncery 4037

Works: VICTORIA ROAD, BURGESS HILL, SUSSEX A.I.D. and A.R.B. approved

Telephone: BURGESS HILL 85661

CONTROL January 1960

Tick No 85 on reply card for further details

141

LTD

ading their oosal.

nany range

etails N IDP

47-51 9791. DTV A27

1960

Even if it's not one of ours



You know that you can always avail yourself of the B. & R. Technical Sales Service. But you may not know that we run a special emergency service. Should you meet a problem-even if it's not strictly speaking a relay matter-pick up the 'phone and ask for B. & R. Emergency: we'll be there. At the


It isn't the thin end of a wedge. The stress is on Technical Service; all our chaps have served trade apprenticeships. (Let's face it, we often find ourselves wishing our Sales Engineers were salesmen more and engineers less).

When you're in trouble see what service really means-get in touch with B. & R.

B & R RELAYS LIMITED . TEMPLE FIELDS . HARLOW . ESSEX

Telephone: Harlow 25231/4

Member of the Gas Purification Group.



my kingdom for a horse!

urself e. But

pecial eet a king a

sk for At the

is is on

served often

gineers

really

1960

3).

or a RESISTOR!

Too often, delivery delays for resistors place important contracts in peril and provide a source of worry and irritation to manufacturers and designers.

Now at last an ASSURED DELIVERY OF 2/3 WEEKS is available for many of the resistors in the wire wound range produced by ELCOM

WRITE NOW! for full details of the ELCOM "POST-HASTE" SERVICE to
WEEDON RD. INDUSTRIAL ESTATE, NORTHAMPTON
Tel. Northampton 2467 & 1873
Telegrame & Cables "ELCOM" Northampton
Tel. O.A.8.4 Admirals, abbreval manufactures



SPECIFY



FOR SURE CONTROL

A complete range of Solenoid or Air operated control valves available to cover all applications.

Sizes §" B.S.P. to 8" Bore. Pressures up to 1,500 p.s.i. Temperatures up to 300° Cent. Body materials to suit all media including corrosive acids. Standard, Weatherproof or Buxton Certified Flameproof Solenoid Housings. Glandless, Fluon glands or stainless steel Bellows glands.

AIR-OPERATED Type AOD—Heavy duty air operated units individually designed for control applications beyond capabilities of Solenoid types. For pressures up to 1,500 p.s.i. Sizes ¼" B.S.P.-8" Bore.

KEEP A TIGHT CONTROL ON THINGS WITH




VALVES



MIDGET Type ACO—Sizes up to §" B.S.P., used for control of Air, Gases, Water, Oil at pressures up to 300 p.s.i, Single way—Reverse acting—three-way types available. MAC—Suitable for towns gas or low pressure services. Sizes ¼" B.S.P. to 6" Bore. ACS—For medium pressures suitable for gases or liquids. Sizes ¼" to 2" B.S.P. ACP—Servo Piston type for control of Air, Water, Steam, pressures up to 300 p.s.i.





SPC.3 — Three-way valves for electro-pneumatic control systems. Sizes up to ½" B.S.P. for use with air up to 150 p.s.i.

SEND FOR COMPREHENSIVE CATALOGUE OR INFORM US OF YOUR REQUIREMENTS

ALEXANDER CONTROLS LTD.

MEMBER OF THE CONCENTRIC GROUP OF COMPANIES

Reddicap Hill,

Sutton

Coldfield,

Warwickshire.

Telephone: SUTton Coldfield 5227-8-9



ES

ms.

1960

XUN



Specialists in the manufacture of Wirewound Potentiometers for over 30 years, COLVERN LIMITED are the foremost producers of these components in the United Kingdom.

The extensive range of types in constant production comprises:

Standard Wirewound Potentiometers from I to 15 watts rating and including multi-ganged types.

A complete range of sealed wirewound potentiometers and variable resistors conforming to British Joint Service Specifications RCS/121 and RCL/121.

A comprehensive range of Precision Potentiometers, including Helica and Sinel-Cosine types, many incorporating the exclusive COLVERN Cam-correction Device.



TYPE CLR.4201
SEALED TROPICAL POTENTIOMETERS.
Designed to operate under extreme climatic conditions and to meet the requirements of British Joint Service Specifications RCS.121, the potentiometer is housed in a mineral filled moulding, and effectively sealed by a metal back cover and neoprene 'O' seals in the spindle-bush assembly. CONFORMS TO BRITISH INTERSERVICE SPECIFICATIONS RCS.121 AND RCL.121, STYLES RAC-RAD/CLR.429), RAE-RAF (CLR.5237) HUMIDITY CLASS H2.

TYPE CLR.26/00

MULTI-TURN HELICAL POTENTIOMETER.
The type CLR.26/00 Helical Potentiometer has been developed primarily for mechanical drive and use in servo systems. Supplied in the popular to-turn version, or with any number of turns in the helis from 3 to 20, standards being 3-5-10-15 and 20 turns. The precision-ground stainless steel shaft is mounted in ballraces giving a smooth torque of 1-1½ oz./in. and the machined duralumin base has a locating apigot true with the shaft. SPECIFICATION:

Rating: 0-4 woatts per turn.

Resistance Range:
100-10k0 per turn.

Resistance Tolerance: Standard, ±5%. Best Practical, ±1%.

Absolute Law Accuracy: Std., ±0.35% \ 10-\$50e., ±0.1% \ turn

Max Working Volts Spindle Track 2,000V D.C.

Effective Resistancs Angle Tol.: ±1°.

Max. Starting torque: 1½ oz./in.

Min. Angle between Taps: 90°.

Max. Ganged Sections: .2



igh Accura



TYPE CLR.91/00
CAM CORRECTED
Originally developed for Radar Gunnery Equipment, this Potentiometer is undoubtedly the most accurate Potentionneter in quantity production. In addition to applications in Electronic Computing it is an ideal instrument, for use as a laboratory standard.

SPECIFICATION:

Resistance range:
1,0000-1,50k0.

Resistance Tolerance:
Standard ±5%. Best Practical, ±1%.

Absolute Law Accuracy: ±0.04%.

Max. Working Voits Spindle/ Track:
1,000V D.G. • Effective Resistance Angle:
315' +25' -0'
Machamical Rotation: 360° cont.

Max. Starting Torque: 8.5 os/in.

Min. Angle between Taps: 10°.

Max. Ganged Sections: 4.

COLVERN LTD., SPRING GDNS., ROMFORD Telephone ROMFORD \$2222 ESSEX Telegrams & Cables COLVERN PHONE ROMFORD



you save in many ways
with
TEL-O-SETS

today's most advanced miniature pneumatic instruments

Record, indicate or control any process variable with versatile Tel-O-Set instruments. They're the most dependable, economical, and easily-serviced miniature instruments you can buy.

CUT INSTALLATION COSTS

- Startup is safeguarded by wiring and piping case separately
 ... keep chassis safe in original carton until startup.
- Quick-connect design makes chassis mounting easy, fast, foolproof.

CUT SPARE PARTS INVENTORY

- Change recorder to indicator and vice versa . . . without changing case or disturbing field connections.
- One basic controller model for any variable derivative action easily added.


REDUCE PROCESS DOWNTIME

- All working parts can be inspected during operation, without process interruption.
- Zero and span, the only recorder adjustments required, are set from front of panel.
- Quick connect switch on controllers permits removal of unit while process remains on manual control.

SAVE IN MAINTENANCE

- Separate pneumatic and electric connections—no need for electrician to stand by.
- Linearity built in at factory, requires no attention.
- Unitised construction of all components simplifies maintenance, makes re-assembly easy.

Honeywell





details

climatic ents of

mouldover and sembly. RVICE CL. 121, E-RAF

e Angle:

1960

Quick connect Tel-O-Set controller, for proportional control—with automatic reset—of any variable. Derivative action is easily added.

WRITE OR SEND THE COUPON TODAY for full information to: Honeywell Controls Ltd, Ruislip Road East, Greenford, Middlesex. WAXIow 2333

Please send me a copy of I	Bulletin 7202.
NAME	*********
APPOINTMENT	***********
Andress	***************************************
Sales engineering, initial and peri from 10 U.K. Branch Offices. Sal cities of the world.	iodic service, available les Offices in principa
Industrial Instrumentation	Micro Switches

NOW THERE ARE EIGHT

L.25

L.50

Ohms

+ 10%

BERCO TOROIDAL RHEOSTATS

So popular has the original range of five Berco rheostats become that three new models have been introduced. Like all Bercostats they have five important features :-

- VITREOUS ENAMEL BONDED
- HIGHEST MECHANICAL STRENGTH
- MAXIMUM ELECTRICAL PERFORMANCE
- MINIMUM SIZE IN RELATION TO POWER DISSIPATION
- CAN BE USED IN TROPICAL SITUATIONS WITHOUT MODIFICATION


Ask for list 613A, which gives full technical details and prices

THE BRITISH ELECTRIC RESISTANCE CO. LTD.

Queensway, Ponders End, Middlesex. Phone: Howard 2411 'Grams: Vitrohm Enfield

Pioneers of the toriodally wound rheostats in England.

Optical digitizers



No rubbing contacts

CURRENT

L.75

L.100

RATINGS

L.225

15.0 10.6 8.66 6.71 5.48 4.74 3.87 2.12 1.73 1.50 1.22 1.06 .803 .671 .474 .387 .300 2.12

L.300

L.500

22.3 15.8 12.9 10.0 8.17 7.07 5.78 4.47 3.16 2.58 2.23 1.82 1.58 1.19 0.708 5.78 4.48 3.15 2.58 2.23 1.58 1.19 1.00

L.150

12.50 8.66 7.07 5.48 4.47 3.88 3.16 2.45 1.73 1.41 1.23 1.00 866 .655 5.548 3.388 3.36 2.45 1.73

- Only one moving part a glass disk
- Low torque
- Low moment of inertia
- Long Life
- Only 3in. in diameter

Optical digitizers are RELIABLE!



98 ST PANCRAS WAY . LONDON . NW1



.500

1.3 1.8 1.9 1.07 1.78 1.47 1.16 1.58 1.23 1.82 1.9 1.00 1.708 1.708 1.448 1.19 1.00 1.708 1.448 1.318


gives prices

TRIC TD. idlesex. Enfield

ngland.

isk

1960





a compact unit in a variety of types

THE new Elcontrol photorelays, viewing heads and scanners have been made small so that they can be used freely on modern precision machines.

They operate with a very narrow light beam, and are very sensitive. They open up a new conception of high speed close tolerance automatic control throughout the manufacturing and handling industries.

Elcontrol photoelectrics are ideal for control jobs where movement has to be detected—tell us what you want to do and we will gladly help you.

Appointed Agents

MIDLANDS: A. M. Lock & Co. Ltd., Newborough Rd., Solihull.

N. WEST: A. M. Lock & Co. Ltd., Union St., Oldham.

Main 6744

SCOTLAND: A. R. Bolton & Co., 3a St. Vincent St., Edinburgh 3.

32035

write to ELCONTROL LTD., HITCHIN, HERTS. Hitchin 2411


ELCONTROL

You ean't gauge a camel.

... by its hump—or from the expression on its face for that matter. But one glance at a P & G pressure gauge reveals an instrument of quality, made by craftsmen to ensure accuracy and dependability for a very long time. This is no mirage—see one for yourself.

The range of P & G pressure gauges includes many different types to suit most applications—vacuum, combined, altitude, electric contact, differential, critical, duplex, diaphragm, capsule, etc.

Write for Publication No. 84





Payne & Griffiths Ltd

TUDOR WORKS SMETHWICK WINDMILL LANE BIRMINGHAM

SERVICE DE RENSEIGNE-MENTS POUR NOS LECTEURS

Il est souvent difficile au client publicitaire d'indiquer dans un espace restreint tous les détaile de ses produits. Dans le cus où wus désireriez de plus amples renecignemente à ce sujet, veuillez pointer le numéro approprié sur la carte ci-contre et envoyer cette dernière à CONTROL.

oto-

and

ade

used

sion

are

high

the

here

at to

5703

6744

2035

2411

AUSKUNFTSDIENST FÜR LESER

Esist oft schwierig für Inserenten alls technischen Einzelheiten über ihre Produkte in einem begrensten Platz zu bringen. follten Sie noch weitere Austanfe wünsechen, streichen Sie einfach die bestimmten Nummern auf der nebenstehenden Karte an, und senden Sie ein CONTROL.

SERVIZIO D'INFORMAZIONI PER I NOSTRI LETTORI

E salvolta difficile all'insersionista di indicare in uno spazio ristretto tutti i particolari dei suoi prodotti. Qualora desideraste ricevere più ampie informazioni a questo riguardo, favorita segnare il numero appropriato sul cartellino qui accanto ed inviare quest'ultimo a controli.

SERVICIO DE INFORMACIÓN PARA EL LECTOR

Se hace a menudo dificil para los anunciantes dar en un espacio limitado todos los detalles técnicos eobre sue productos. Si desea ulterior información, marque los números apropiados en la tarjeta opuesta y mándela a continut.

Информация для читателей Часто бывает трудно рекламирующим лицам давать все технические подробности свотеродущии в рекламе. Если Вам понадоблятся добавочные сведения, то просто отметьте всетвения, то просто отметьте всетвения на противополегием стороне и отправите я Согтной.

被者询问服務

練着サービス

1960

奏を休面の関係に製品の 技術的細目は掲載しされません ので詳しくは生のカードの通常 なナンパーに印をつけて漢字の 現技術してすさればお茶へしま

ADYE	RIIS	EME	412							
1 11 21 31 41 51 61 71 81 91 91 101 111 121 131 141 151	2 12 22 32 42 52 62 72 82 102 112 122 132 142 153 162 172	3 13 23 33 43 53 63 73 83 103 113 123 133 143 153 163 173 183	4 14 24 34 44 54 64 74 84 94 104 114 124 134 144 154 174 184	5 13 25 35 45 35 45 75 95 105 115 125 135 145 165 175 195	6 16 26 36 46 56 66 76 86 96 106 116 126 136 146 156 16 176 186	7 17 27 37 47 57 67 77 87 107 117 127 137 147 157 167 177	15 28 34 48 58 68 78 83 98 108 118 128 138 148 158 168 178 188	9 19 29 39 49 59 69 79 109 119 129 139 149 159 169	10 20 30 46 50 60 70 80 100 110 120 130 140 150 160 170	If you would like further information about any advertise ment or editorial item, simply tick the appropriate number on this card and mail to CONTROL. NAME NAME OF BUSINESS ADDRESS
NEW		DDU(194		196		198	199	200	
	-			-		NICA			TURE	
501 511 521 531 541 551 561	502 512 522 532 542 552	503 513 523 533	504 514 524 534 544 554	505 515 525 535 545 555	506 516 526 536 546 556 566	507 517 527 537 547 557 567	508 518 528 538	509 519 529 539 549 559 569	510 520 530 540 550 560 570	POSITION HELD
541 551 561	542 552 562	523 533 543 553 563	544 554 564	545 555 565	546 556 566	547 557 567	548 558 568	549 559 569	550 560 570	NATURE OF BUSINESS
BOOK	CS									
701 711	702 712	703 713	704 714	705 715	706 716	707 717	708 718	709 719	710 720	
/ 11	7 14									

CONTROL READER INFORMATION SERVICE

January 1960

AD	V	ERT	IS	EM	E	IT:
			_		_	

	. 1	3		- 5	- 6	7		. 9	10
- 11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	44	47	48	49	50
51	52	53	5.4	55	54	57	6.0	63	60
61	62	63	64	45	44	47	48	49	70
71	72	73	74	75	74	77	78	79	80
81	92	83	9.4	85	94	97	- 88	99	90
91	12 22 32 42 52 62 72 82 92	13 23 33 43 53 63 73 83 93	94	15 25 35 45 55 65 75 85 95	94	97	18 28 38 48 58 68 78 88 78	29 39 49 59 69 79 89	100
11 21 31 41 51 61 71 81 91 101 111 121 131 141 151 161 171 181	102	103	14 24 34 44 54 64 74 84 104 114 124 134 144 154	105	16 26 36 46 56 66 76 86 96 106 116	7 17 27 37 47 57 67 77 87 97 107 117 127 137 147 157	108	100	10 20 30 40 50 60 70 100 110 120 140 150 160 170
111	102	113	114	105 115 125 135 145 155 165 175	114	117	108	109 119 129 139 149 159 169 179 189	120
121	122	123	124	125	124	127	120	129	120
131	122 132 142 152 162 172 182	123 133 143 153 163 173 183	124	125	126 136 146 156 166 176	127	128 138 148 158 168 178	130	140
141	143	143	144	145	144	147	120	137	140
1 6 1	152	173	177	143	170	177	125	147	130
131	132	133	134	122	136	137	128	157	160
101	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	
191	192	193	194	195	196	197	198	199	200

If you would like further information about any advertisement or editorial item, simply tick the appropriate numbers on this card and mail to CONTROL.

NAME

NAME OF BUSINESS

ADDRESS

NEW PRODUCTS & TECHNICAL LITERATURE

511 521 531 541 551	512 522 532 542 552 552 562	513 523 533 543 553 563	514 524 534 544 554 564	515 525 535 545 555 565	516 526 536 546 556 566	517 527 537 547 557 567	518 528 538 548 558	519 529 539 549 559	520 530 540 550 560 570
561	562	563	- 564	565	566	567	548	569	570

POSITION HELD

NATURE OF BUSINESS

BOOKS

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720

SUBSCRIPTION CARD CONTROL

YES!

I want my own PERSONAL copy!

Please send me CONTROL for one year/three years

U.K. £2. 2s. 0d. (three years £5. 0. 0.)

U.S.A. and Canada \$8.00 (three years \$20)

Other countries £3. 3s. 0d. (three years £5. 0. 0.)

starting with the_____issue


☐ Subscription enclosed

January 1960

☐ Invoice me later

NAME

SEND TO MY HOME/BUSINESS ADDRESS___





a compact unit in a variety of types

THE new Elcontrol photorelays, viewing heads and scanners have been made small so that they can be used freely on modern precision machines.

They operate with a very narrow light beam, and are very sensitive. They open up a new conception of high speed close tolerance automatic control throughout the manufacturing and handling industries.

Elcontrol photoelectrics are ideal for control jobs where movement has to be detected—tell us what you want to do and we will gladly help you.

Appointed Agents

MIDLANDS: A. M. Lock & Co. Ltd., Newborough Rd., Solihull.

N. WEST: A. M. Lock & Co. Ltd., Union St., Oldham.

Main 6744

SCOTLAND: A. R. Bolton & Co., 3a St. Vincent St., Edinburgh 3,

32035

write to ELCONTROL LTD., HITCHIN, HERTS. Hitchin 2411

ELCONTROL

You can't gauge a camel . . . by its hump-or from the expression on its face for that matter. But one glance at a P & G pressure gauge reveals an instrument of quality, made by craftsmen to ensure accuracy and dependability for a very long time. This is no mirage-see one for yourself. The range of P & G pressure gauges includes many different types to suit most applications-vacuum, combined, altitude, electric contact, differential, critical, duplex, diaphragm, capsule, etc. Write for Publication No. 84 Payne &

TUDOR WORKS

SMETHWICK

WINDMILL LANE BIRMINGHAM GERVICE DE REMSEIGNE-MENTS POUR NOS LECTEURS Il at souvent difficile au client publicitaire d'indiquer dans un apace restreint tous les délails de ses produits. Dans le cas où sous désiraries de plus amples renseignements à ca enjet, venilles peinter le numéro approprié sur le carie ci-contre et enveyer celle dernière à COUVERGE.

ioto-

nade used ision

are

high

the

here nt to

5703

6744

32035 n 2411

AUSKUNFTSDIERST FÜR

LESER
Es ist oft schwierig für Inserenten
alle technischen Einzelheiten
aber ihre Produkte in einem
barrensten Platz zu bringen
dellten Sie noch weiters Auskänfts wänschen, etreichen Sie
einfach die bestimmten Nummern
auf der nebenstehenden Kerte en, of senden Bie sie on CONTROL,

SERVIZIO D'INFORMAZIONI PER I NOSTRI LETTORI

PER I NOSTRI LETTORI

Praivolla difficia all'inserrionista di indicare in uno
spacio ristratto tutti i particolari
dei auci prodotti. Qualora desideraste ricevere pit ampia
informazioni a questo riguardo,
favorite segnare il numero
appropriato sul cartallino qui
accanto ed inviere quest'ultimo a

SERVICIO DE INFORMACIÓN PARA EL LEGTOR

So hace a menudo dificil para los anunciantes dar en un espacio limitado todos los detalles técnicos sobre sus productos. Si desca ulterior información, marque los números apropiados en la tarjeta opuesta y mándela s

формация для читателей сто бысает трубно режла-прующим лицам басеть сес-инические побробности сес-пробужции с режелме. Если ам понабобится бобосочныя бокция, то просто сеплетноте стоетствующим номера на ме-рчие на протностеленией версие и стправьте ж CONTROL

被告的问应非

在廣台上以有限的地方 東解釋一般等门技術 及它們的 類案,的確是有實限制的困难 發指集攻各知道。每詳細的指 對關所可能同的人格 取一項不敢 對關下有能同的的有目 同電句一1 轉者 積子能工程處即可。

養着サービス

1960

疾者从面の間保工,製品の 技能的細胞は特徴しされません りて好しく は金のカードの通信 をナンバーにかまつけて誰まが 現状的してすさればお暮つしま

CONTROL READER INFORMATION SERVICE

January 1960

ADVERTISEMENTS

If you would like further information about any advertise-ment or editorial item, simply tick the appropriate numbers on this card and mall to CONTROL. NAME NAME OF BUSINESS **HEW PRODUCTS** TECHNICAL LITERATURE POSITION HELD NATURE OF BUSINESS

CONTROL READER INFORMATION SERVICE January 1960

ADVERTISEMENTS

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720

If you would like further information about any advertise-ment or editorial item, simply tick the appropriate numbers on this card and mail to CONTROL.

NAME

NAME OF BUSINESS

ADDRESS.

NEW PRODUCTS TECHNICAL

BOOKS

POSITION HELD

NATURE OF BUSINESS

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720

CONTROL SUBSCRIPTION CARD

January 1960

YES!

I want my own PERSONAL copy!

Please send me CONTROL for one year/three years

U.K. 42. 2s. 0d. (three years 45. 0. 0.) U.S.A. and Canada \$8.00 (three years \$20) Other countries £3. 3s. 6d. (three years £5. 6. 6.) starting with the

Invoice me leter

SEND TO MY HOME/BUSINESS ADDRESS_

Business Reply Folder Licence WD 1823

CONTROL

Rowse Muir Publications Ltd, 3 Percy Street, London, W1 England

Postage will be paid by Control

Business Reply Folder Licence WD 1823

CONTROL

Rowse Muir Publications Ltd, 3 Percy Street, London, W1 England

Postage will be paid by Control

Business Reply Folder Licence WD 1823

CONTROL

Rowse Muir Publications Ltd, 3 Percy Street, London, W1 England No Postage stamp necessary if posted in Great Britain or Northern Ireland

> No Postage stamp necessary if posted in Great Britain or Northern Ireland

No Postage stamp necessary if posted in Great Britain or Northern Ireland



NEG. OUTPUT (Fixed)
250 V.
0 to 100 mA.
15 mV. Two outputs at 6·3 V., 5 A.
200 to 250 V., 50 c/s in 10 V. steps

Please write for further specifications

STABILISED POWER SUPPLY

Efficient, unfailing accuracy in all testing operations is guaranteed with the STABI-LISED POWER SUPPLY TYPE 214, Now widely used in experimental and production applications, this heavy-duty unit provides an exceptionally stabilised output which can be varied continuously from 0 to 500 V.-in two ranges at currents up to 250 mA. There is also an unstabilised output at 430 or 630 V., D.C., as well as two A.C. outputs. Voltages and currents are monitored to 1% accuracy.

Precision Workmanship in STABILISED POWER SUPPLY UNITS

TRANSISTOR POWER SUPPLY TYPE 2TV/301

Specification Per Unit OUTPUT VOLTAGE OUTPUT RESISTANCE RIPPLE

± 0 to 30 V. 0-01 ohm 1 mV. p to p Please write for further specifications


OUTPUT CURRENT 0 to 1 ampere STABILISATION 1500 : 1 MAINS INPUT 200 to 250 V. A.C. 50 c/s

Two completely independent stabilising unitseach monitored separately-are incorporated in the POWER SUPPLY TYPE 2TV/301. The units feature semi-conductors for control purposes and have a very low output impedance allowing maximum loading with negligible change in output voltage. Cut-outs and fuses are provided for protection against accidental overload. Typical applications are D.C. heater supplies, accumulator replacement, transistor development and electroplating research.

For full information and descriptive literature on other

LABORATORY TESTING EQUIPMENT

call, write or phone.







ELECTRONICS LTD. 10, NORTHWOLD ROAD LONDON, N.16


Tick No 98 on reply card for further details

WHATEVER THE ANGLE




MARTONAIR





Minor,

Standard and




MARTONAIR LIMITED

PARKSHOT · RICHMOND · SURREY

Telephone: RIChmond 2201

Insuloid FLEXIGUARD flexible cable trunking



SIMPLIFIES, SPEEDS AND PROTECTS CUBICLE - TO - DOOR CABLE INSTALLATION



Photographs by kind permission of South Wales Switchgear, Ltd., Blackwood, Monmouthshire. Flexiguard not only eliminates bunching and untidiness, but speeds and simplifies Cubicleto Door wiring, for like all Insuloid products it's exactly right for the job. The flexible P.V.C. tube can be cut to any length, internally radiused brackets give complete protection from chafing and are available from ½" to 2" internal diameter.

Quick and economical

Simple to fix

Completely secure

Gives guaranteed protection

> Assembled in 30 seconds

Proved in all parts of the world. Flexiguard has become stan-dard specification for most pro-gressive Switch-gear Manufac-turers.

Write now for free sample and comprehensive literature.

Find out about these other Insuloid products AS Adjustable Saddles. SAS Single Screw Adjustable Saddles, CRADLECLIP, Plasklip, Busbar Insulation Type NX, X & CY Clips.

INSULOID MANUFACTURING CO. LTD.

Sharston Works, Leaston Avenue, WYTHENSHAWE, Manchester. Tel: WYT. 2842 & 3163



"But why can't they use my magnet?"

"Well, you see Johnny, it's because your sort of magnet can't be switched 'on and off' !"

"Huh! I wouldn't like mine to do that!"

"I know, but then you don't use yours to control water or gas and things."

"Control water or gas? Seems stupid to me - why can't they use a tap like Mum does?"

"Ah! But using a tap means that you rely on what's called the 'human element'. That's why these valves are fitted to do things automatically -without people being involved."

"Mr. Stevens told me they make chocolates with them!"

"That's right, but not exactly to make chocolates, to help make them. Mushrooms, too!"

"Cor! I like mushrooms." (Throwing away magnet) "Can I have some for tea?"

Seriously though, Magnetic Valves have earned an enviable reputation for absolutely reliable control of water, steam, coal-gas, oil, air, refrigerants and many other industrial liquids and gases. (Without using glands, stuffing boxes or driving shafts, either!) Full details are in our new Brochure No.18 Why not write NOW for your copy?



AIR CONDITIONING AUTOMATIC STOKERS BOILERS CENTRAL HEATING CRUCIBLE BAKING OVENS DYEING GAS GENERATING PLANT HYDRAULIC & PNEUMATIC-CYLINDER MECHANISMS HOT WATER SERVICES

LAUNDRY PLANT MACHINE TOOLS NUCLEAR POWER PLANT OIL BURNERS REFRIGERATION STERILISING PLANT STEAM TURBINES TINNING BATHS VACUUM PUMPS VENTILATION





Magnetic Single-Beat Stop Valve with Flameproof Solenoid Enclosure



Magnetic 'PR' Type High Pressure Stop Valve

Magnetic Valve Company Ltd

KENDALL PLACE, BAKER STREET W.I

TELEPHONE HUNTER 1801/4

CONTROL January 1960

Tick No 101 on reply card for further details

153

fix

d

d

details

y 1960

E MASON . SHORT & MASON . SHORT & MASON . SHORT & MASON .

Low speed photo-electric anemometers

These remarkably accurate instruments made by Short & Mason measure flow speeds as low as 3 ft/min. They work by a photo-cell driving an electro-mechanical counter through a power transistor. The light falling on the cell is interrupted by the rotation of the extremely light jewel-pivoted vane. With a portable, battery-operated model remote readings in inaccessible ducts are easily obtained. The instruments are very robust and can safely be used under dusty and ambient temperature conditions.

Viscometers

Short & Mason supply many reliable and robust types. Measuring System Type MS-r for comparative measurements. Measuring System Type MS-a for absolute measurement of Newtonian liquids, or for determining apparent viscosity of non-Newtonian liquids. Measuring System Type MS-AE also measures absolute viscosities and is used for obtaining Rheograms, especially for determining flow limits of plastic liquids in conjuction with the STV15 rheometer. This instrument is highly suitable for building into industrial viscosity control equipment where speeds other than the standard 200 r.p.m. are required.

Temperature control

Short and Mason mercury contact thermometers are far more accurate and reliable than bi-metal types. Differential temperatures to 1/100th degree are obtainable. They operate at predetermined temperatures, either by fixed contacts (to avoid tampering) or by adjustable contacts. The thermometer can be mounted a considerable distance from the control box. Applications are: frost and fire alarms; operating pumps, spray and sprinkler systems, controlling temperatures in incubators, hot cupboards, glass-houses, heated beds, etc.

These are only a few of the famous range of reliable control instruments made and supplied by Short & Mason.



For complete details and catalogue, contact-

SHORT & MASON LTD.

Aneroid Works, 280 Wood Street, Walthamstow London, E.17

Tel: Coppermill 2203/4


weighing-printing?

speed check-weighing?

weighing-filling?

accuracy

the common factor is Telomex



The phenomenal growth of the pre-packaged food industry has changed radically the approach to high-speed weighing and printing.

and printing.

Telomex have applied their specialised electronics experience to this problem, and have now introduced a new range of high-speed transistorised weighing heads which can be incorporated into any production system.

These heads, which can be combined with printing or habilities extensions are recombined with printing or habilities are recombined with printing or habilities are recombined with printing or the little of the printing of the little of

These heads, which can be combined with printing or labelling stations, are equally suitable for weighfilling, check-weighing or weighing and printing units ranging from fractions of an ounce to three pounds—at speeds of several hundred per minute. They are unaffected by vibration—a very important feature, as factories can never be completely vibration-free.

For further information on these units and of the full range of Telomex control equipment write or telephone—



Queen Street, Horsham, Sussex Telephone: Horsham 3017

Tinsley

details

oof

3.7

PRECISION COMPONENT RESISTORS

with Resistance tolerance better than 0.1%



Exceptionally compact and light in weight the Type 5206 resistor units of very high stability are hermetically sealed in metal cases, Designed for use where resistances up to 10 $M\Omega$ are required, the units meet the specifications laid down in R.A.E. Spec. G.1177 and satisfy the tests described in Spec. R.C.S. 11.


Rating: 500 V per MΩ

Temperature coefficient: ± 20 parts per million per °C at room temperature

Time constant: Approximately 10-s seconds Max voltage: 500 V d.c.

Write for full details to:

H. TINSLEY & CO. LTD. Werndee Hall, South Norwood, London, S.E.25 tel: Addiscombe 6046-8



illustrated is the twin cylinder model having a free air delivery of 50 c.f.m.

ENGINEERS LIMITED WILLIAMS & JAMES GLOUCESTER ENGLAND

WJ. 1995

1960

If it's Electronic

and you want it Designed and Developed or produced * to your specification



This instrument has been specially designed for the routine production testing of Commutators; its function is to indicate surface roughness and eccentricity to within very close limits.

STANLEY

consult



& COMPANY LTD. (formerly P.A.M. Ltd.)



This E.H.T. Cable Insulation Tester has been designed and made by Tyer & Co. Ltd., for detecting and recording faults in the insulating coverings of cables during manufacture. The system permits a very high speed of operation.

Tyer & Co. Ltd. Electronics division combines the technique of several companies, long-established in the Electronic field, with the extensive modern production resources of Tyer & Co Ltd. Examples of recent work are illustrated.

Whichever stage of the struggle you've reached, we can save you time and trouble — maybe money too — write or phone without delay



PERRAM WORKS, MERROW SIDING, GUILDFORD, SURREY A member of the Southern Areas Electric Corporation Group

Telephone: Guildford 2211



Your guarantee of satisfaction

Always refer to the

STANLEY

"A" EDITION CATALOGUE

The "Stanley" range comprises all that is best in:-

Surveying Instruments and Equipment

Drawing Instruments.

Drawing Office Equipment.

Drafting Machines,

Drawing Scales.

Mathematical Instruments :-

Planimeters, Integrators, Integraphs,

Harmonic Analysers, etc.

Copies of the "A" Catalogue will be sent on request (Con.A1)

Head Office & Main Works:-

NEW ELTHAM, LONDON, S.E.9

Phone: ELTham 3836. Grams: "Turnstile" Souphone London

78/80 High Holborn, London, W.C.1

(Phone: HOLborn 2684)

13 Railway Approach, London Bridge, London, S.E.1

(HOP 0871/2)

52 Bothwell Street, Glasgow, C.2

(Central 7130)

W. F. STANLEY & Co. Limited.

been

ulating The ration.

rd 2211

E

in:-

on.A1)

S.E.9

London

orn 2684)

0871/2)

tral 7130)

y 1960



Which of these could solve your problem?

Newmarket Transistors Limited have added the following transistors to their range:-

The new Noodle Transistor (V15/15NP V15/30NP V30/ 15NP V30/30NP)

Amplifies at 10 amps.

American diamond construction interchangeabi-

lity.
3. No fixing screw problems.
4. Cold welded case for increased reliability.
5. Higher frequency opera-

Fast Switching Transistor (V10/1S V10/2S)

Phenomenal peak current performance—will switch

i amp peak.
Fifty Milli-microseconds

risetime. 20V collector rating. British standard cylindrical

construction.
Cold welded case for increased reliability.

VHF Drift Transistor (V15/20 R)

Oscillates up to 100 M/Cs.
 Amplifies up to 20 M/Cs.
 Jedec 30 case.
 Higher operating voltage.



Newmarket Transistors Ltd.

EXNING ROAD, NEWMARKET, SUFFOLK

Telephone: Newmarket 3381/4.

Cables: Semicon Newmarket

BOURD **TUBE** GAUG

liquid column accuracy beyond liquid column range



Max. Range-0-500 p.s.i. absolute or gauge

Min. Range-0-30 p.s.i. absolute or gauge

Sensitivity-1:8000

Accuracy-0-2% of full scale range

Hysteresis-negligible

Temperature effect-0.075% of range/10°C



A combination of Ni-Span-C Bourdon tubes, a special ratio linkage and individual calibration set these W&T gauges apart. Use of corrosion-resistant Ni-Span-C eliminates temperature compensation, makes the gauge usable in a wide variety of applications. Dual Bourdon tube mechanism provides high accuracy measurements of absolute or gauge pressures without applying any system pressure to the gauge case. The special ratio linkage provides low friction, practically no hysteresis.

For complete information please write to: INSTRUMENT DEPARTMENT

'DIAMOND H' Hermetically Sealed Miniature Relays

For Guided Missiles. High speed arcraft Computer and other high performance applications

SERIES B R.

HERMETICALLY SEALED 4 P.D.T. RELAYS



Mounting Arrangements to suit all requirements

This is one of the wide variety of standard mounting arrangements available for "Diamond H" relays. Series BR relays are hermetically sealed 4-pole D.T. high performance components. Weighing 4 ozs. or less, they offer vibration resistance better than 2,000 c.p.s. at 20 G, operating shock resistance to 50 G and temperature range from -65° C. to +200° C.

Applications range from guided missiles and high speed aircraft to computers, fire control, radar, etc.



SERIES B S.

HERMETICALLY SEALED 4 P.D.T. RELAYS WITH SEPARATELY SEALED COIL—INORGANIC SWITCH MECHANISM

Greatest dry circuit reliability is assured in series BS relays. by virtue of the coils being separately sealed within the outer hermetically sealed case. The switch mechanism contains no organic matter, hence contact contamination is eliminated. Dry and wet circuits can be safely intermixed. Electrically and physically, series BS relays are interchangeable with series BR relays.







Telephone: CHISWICK 6444 (5 LINES)
Telegrams:- DIAMONHART, CHISK, LONDON.

AIR MOTORS

FOR CONTROL PURPOSES

We produce a range of air motors from {th to 10 h.p. capacity. Manufactured to multicylinder construction with high starting torques. Globe Air Motors offer infinitely variable speeds throughout the entire range.

THE GLOBE PNEUMATIC ENGINEERING COMPANY LIMITED

ASHTON ROAD, HAROLD HILL, ROMFORD, ESSEX
Cables: PNEUMATOID, ROMFORD
Telephone: Ingrebourne 43851 (5 lines)



SIMPLEST TO INSTALL AND SERVICE!



RATELY

TED.

N, W.A.

DON.

ry 1960

200 P.S.I.



MODERNAIR

AIR AND HYDRAULIC CYLINDERS



Here's why:— • Interchangeable mountings. • Standard 'O' ring seals throughout. • Corrosion resistant. • Taper B.S.P. Pipe Connections. • Heads rotate 360 degrees on Provenair Models

H.P. ECONOMAIR Cylinders are available in 1½", 2", 3" and 4" bore sizes, any practical stroke length, cushion or non-cushion types.


Extra robust PROVENAIR Cylinders are available in 6" bore size. You can always depend on H.P. MODERNAIR, the unique corrosion-resistant cylinder with the extra long life. Write NOW for full details, specifications and prices.

A range of valves for use with these cylinders also available.

★ Simply write for Modernair literature 106 ★

HYDRAULICS & PNEUMATICS LTD WULFRUNA WORKS, VILLIERS STREET, WOLVERHAMPTON

Time and



From the data traced on the recorder card it is possible to calculate the efficiency of machine running or the percentage utilisation of equipment. A later type of recorder helps the analysis of causes of machine downtime. The recorded data is also valuable in helping to calculate bonus earned by machine operators and mechanics.

Our experience of Servis Recorders is that, properly used and maintained, they are very reliable."

With acknowledgement to Thomas Hedley & Co. Ltd. for permission to quote from their letter.

Please write for booklet MACHINE TIME CONTROL WITH THE SERVIS RECORDER


SERVIS RECORDERS LIMITED

DEPT. C, 19 LONDON ROAD, GLOUCESTEP Telephone:





Air Flow Switches





Londex Air Flow Switches act as safety or automatic control devices for all kinds of electrical equipment. They operate either on 'flow' or on 'non-flow' of air or other gases. Air-cooled motors, electronic equipment, transformers, or ventilation or drying equipment are typical applications. There are many models for flow velocities from 150ft/min, upwards,

New list showing complete range available on request

LONDEX LTD.

ANERLEY WORKS, LONDON, S.E.20

Tel: SYDenham 3111 (5 lines)

TA 3407

TWICE THE EFFICIENCY WITH

ANALOGUE NETWORK ANALYSER



CHIEF FEATURES ARE:-

- A high level of accuracy, usually better than 1% overall, and good long term stability.
- Low cost—less than a quarter of the price of an equivalent conventional network analyser.
- Universal units each represent a wide range of network element, thus reducing the diversity factor.
- Ease and precision in setting up.



F. C. ROBINSON AND PARTNERS LTD.

Councillor Lane Cheadle Cheshire
Telephone: GATley 2449 and 4020

NSTRUMENTATION CHEMICAL - ELECTRONIC

details

erall, and

quivalent

network

Cheshire

y 1960

Portable

CONDUCTIVITY BRIDGE

TYPE BC I

Fully transistorised, it operates at 1500 c/s from a small long-life dry battery. It covers the wide range of 0.5 to 1 × 10° micro mhos in six ranges.

A mains-operated bridge is also available. It covers the range of 0.05 to 1 × 106 micro



A. M. LOCK & CO. LTD.,

PRUDENTIAL BUILDINGS, OLDHAM, LANCASHIRE. Tel: MAIn 6744

FLAMEPROOF ENCLOSURES

DAVIS of DERBY have specialised for many years in the manufacture of Buxton Certified Flameproof Enclosures

Standard F.L.P. Enclosures are available and Enclosures can be designed to individual requirements to cover Groups I, II and III gas hazards

A range of certified Intrinsically Safe Equipment for use in gassy atmospheres, including hydrogen, is available. Also Pneumatic Electric Lamps for safe lighting in dangerous atmospheres, and Signalling and Sequence control for conveyors, etc. Anemometers and Ventilation Instruments.

DAVIS & SON (Derby) ALL SAINTS WORKS .

Telephones: Derby 45403/4 & 45740

Telegrams: Davis, Derby




FRIEDLAND

Industrial bells

The bell illustrated is model 8/225/120, 8" gong, suitable for connection direct to AC mains. Write for leaflet giving full specifications of the complete range.

VAE FRIEDLAND LTD Macclesfield Cheshire

MANSOL PREFORMS



lead the way

Used in the manufacture of Glass-to-Metal Seals, Valve Bases, Transistors, Rectifiers, etc.

Preforms can be supplied in all shapes and sizes for Iron, kovar, copper and dumet sealing.

We guarantee uniform quality, precise tolerances, efficient production in any quantity and rapid deliveries.

ALL ENQUIRIES TO:- CONTROL

MANSOL (GREAT)

FOUNTAIN WORKS, FOUNTAIN ROAD, THORNTON HEATH, SURREY.

Tel: LIVingstone 2409.

Tick No 120 on reply card for further details

The

CONTROVER

programmer and infinitely variable sequence control unit provides Our engineering and research staff will be glad to consult with you on your problems in the fields of mechanical engineering, electronics, pneumatics, hydraulics,

servo-mechanisms, whether research, development or production

s, Valve

or iron,

ces, effi-

TD

y 1960

eries.

TIMOTHY EATON LIMITED

applied research for industry

THORNFIELD LABORATORIES MACCLESFIELD ROAD, ALDERLEY EDGE CHESHIRE

Grams: Electronics Wilmslow Phone: ALDerley Edge 2521/2

Tick No 121 on reply card for further details for copper

and plastic tubing

Here are the new WADE Couplings—specially designed for plastic tubing of all kinds. There's also a type for copper and plastic, and for copper tubing alone. WADE COUPLINGS are really efficient... capable of standing up to any normal pressure required. They're liquidtight and gas-tight, and joints can be broken and re-made as often as necessary.

There's a size to fit every standard size tubing and there's a type to suit every kind of junction. Straight, Tee, Cross, Banjo and Elbow couplings will straighten out all the coupling problems you're likely to meet. We'll be delighted to send you FREE any type for testing or to help you with any special size required.



WADE COUPLINGS LTD. 270 High Road, Ilford, Essex. Tel: ILFord 1185-6-7

Solenoid Valves for INDUSTRY

TO MEET THE REQUIREMENTS OF INDUSTRY A WIDE RANGE OF SOLENOID VALVES HAVE BEEN DEVELOPED TO THE FOLLOWING SPECIFICATIONS.

Orifice size 0.04 in. upwards.

Normally-open, Normally-closed or Three-way.

Direct acting or Relay acting.

Temperatures up to 300°C.

Standard, Flameproof or Intrinsically safe.

Hydraulic & Pneumatic.

Pressures up to 6000 p.s.i.



VALVES OR HYDRAULIC SYSTEMS FOR A VARIETY
OF APPLICATIONS CAN BE DESIGNED TO
CUSTOMER'S REQUIREMENTS - WE INVITE
YOU TO DISCUSS YOUR PROJECT WITH US.



ELECTRO-HYDRAULICS LIMITED

XS2

Dry Reed Relay Insert

A gold-plated relay contact hermetically sealed in inert gas for absolute reliability, high speed and low contact bounce.

Actual size

maximum current 250 mA maximum resistive load . . . 15 W maximum closed resistance 50mΩ minimum open resistance 5 × 10³³Ω

nominal operate ampere turns . 120 AT nominal release ampere turns . 60 AT operate time less than . 2 mS bounce time less than . 0.5 mS release time less than . 0.5 mS

Our Technical Service Department is ready to provide further details of characteristics on application.

Hivas Ltd

A member of the Automatic

Stonefield Way · South Ruislip · Middlesex

Telephone: Ruislip 3366


SI

HENDREY

Control Consoles







example illustrated above right, shows a Console built to a customer's specific requirements to provide a convenient and centralised control point for multiple alarm and indicator circuits situated in diverse positions on site.

in

low

esex

ip 3366

1960

These consoles are strongly constructed and well fin-ished. Visual and audible

signals may be provided, together with either projecting or recessed push buttons for cancellation or trip circuits

Write now for full information





Hendrey Relays

HENDREY RELAYS LIMITED . BATH ROAD . SLOUGH . BUCKS Telephone: Burnham 609/611

MANUFACTURING ELECTRICAL ENGINEERS

CONTROL AND LABORATORY APPARATUS

On Admiralty, Principal Ministries and Post Office Lists A.I.D. and A.R.B. Approved


LUNRAC from LUNDS of Wandsworth

The recently introduced standard rack from Lunds of Wandsworth is already making a name for itself. The Lunrac is sturdy, well designed, and easily adaptable to suit varying conditions and specifications.

Note these Lunrac features:

- Rigidly constructed from 10 sauge formed steel sections and finished in silver grey ham-mered stoving enamel.
- Standard 19° panel mountings tapped O.B.A.
- Easy accessibility through hinged rear door and quick release side panels constructed of 18 G mild sacel.
- Price £38 . 10 . 0.
- Facilities for floor mounting or on castors:
- Single or multi-bay assemblies.
- Racks can be dust proofed, force ventilated or sound deadened.

Further details on application to the address below:



LUNDS

OF WANDSWORTH

Bendon Valley, London, S.W.18. Phone: VANdyke 7676

As acknowledged leaders in the automatic resistance welding field, British Federal have a very wide experience of specialised control equipment.

The Company's considerable resources in design manufacture are now available to industry generally, for the production of special purpose electric and electronic control equipment.

This covers the control not only of welding machines, but of motors, machine tools, conveyors and all types of automatic transfer equipment, and it also includes semi-standard panels which can be tailored to suit a wide variety of specific applications.




ALL TYPES RESISTANCE WELDING MACHINES

AUTOMATIC AND MANUAL CONTROL

HGS. TOOLS AND FIXTURES

BRITISH FEDERAL WELDER & MACHINE CO. LTD. CASTLE MILL WORKS, DUDLEY, WORCS. TELEPHONE DUDLEY \$4701



DEPOT: 149-151 YORK WAY N.7 . GLASGOW DEPOT: 22 PITT ST., C.2

LONDON . BIRMINGHAM . MANCHESTER . GLASGOW . BELFAST . BOURNEMOUTH

というとは できる はない とうかん





-WITH BUSH OR SERVO MOUNTING

-BALL OR SLEEVE BEARINGS -COUNTING DIALS TO SUIT

MINIATURE 10 TURN

PRECISION HELICAL POTENTIOMETERS

of field tested American type Miniature Precision Helical Pots are now manufactured in this Country. DIAMETER only 7 in., 10 turn or 3 turn pots available with resistance values of 100-100K ohms.

And STANDARD 10 TURN HELICAL POTS PK 30 & PM 30 SERIES

are larger types with 111 in. diameter, resistance values 100-500K ohms, 10 turn or 3 turn.

MINIATURE & STANDARD POTS, WINDOW TYPE DIALS, INDICATING DIALS, FLUSH LOCKS, SPINDLE LOCKING DEVICES and SERVO POTS. SPECIAL WOUND CARDS and POTS to customers' specifications.

Please write for comprehensive catalogue:

STANDARD RANGE OF COMPONENTS

Standard & Miniature

CTURES

y 1960

GENERAL CONTROLS LTD

13-15 BOWLERS CROFT, HONYWOOD RD, BASILDON, ESSEX. Tel: Basildon 20415 Sales and Service from 61 Factories throughout U.S.A., Canada, West Germany, Switzerland and the U.K.

ONTROL IS OUR BUSINESS

CONTROL January 1960

Tick No 129 on reply card for further details

167

TO SPECIFICATION



POST OFFICE TYPE 3,000 and 600 RELAYS

Specialists in tropical and Services jungle finish. Guaranteed to full A.I.D. and I.E.M.E. standards.

Prompt Deliveries. Prototypes within 24 hours.

Approved by the Admiralty, Post Office and U.K.A.E.A. All relays nteed made in our own works. P.T.F.E. insulation now available


MMONDS

Manufacturers to H.M. Government Departments and leading Co L. E. SIMMONDS LIMITED, 5 BYRON ROAD, HARROW, MIDDE. TELEPHONE: HARROW 7797/9 TELEGRAMS: SIMRELAY HARROW

Tick No 131 on reply card for further details



ACCURATE PRESSURE CONTROL



calls for a pressure switch that's manufactured to a high degree of accuracy. The Delta 'B' Series of switches combines this accuracy with robustness and economy and the range of five models covers pressures from a few inches w.g. up to 300 pounds per square inch.

The various additional features available in this series include a fixed close differential and an adjustable differential with or without a mechanical loading device. Certain variations in the electrical control arrangements can also be made.

Provision for fitting a calibrated scale is made if required and certain of these models can be operated as vacuum switches to provide the same control facilities as outlined above. Switch size 3½" x 3" x 3".

Technical Services Ltd.

COWLEAZE ROAD, KINGSTON-ON-THAMES, SURREY. TELEPHONE: KINgston 9568 (three lines)

Tick No 133 on reply card for further details



No Crevices to particles, frame and wire cloth are joined as one.



Guaranteed Accurate— Manufactured under licence

from the British Standards Institution.

Mechanical Sieving is ideal with Endecotts Sieves—several sin taneous tests are possible with intermediate receiving pans.

British, U.S. Standards and Tyler Equivalents are readily available, many other international standards also supplied.

"ENDROCK" TEST SIEVE SHAKER

"ENDROCK" TEST SIEVE SHAKER saves valuable time and effort of skilled personnel, similar to manual motion but is more consistent having a regular mechanical action—a time switch controls the length of time for tests.

We operate a Recovering Service—if sieving is important to your business, ring or write for literature—or for any advice you require—we'll be glad to help.

ENDECOTTS (FILTERS) LTD

Dept. E., LOMBARD ROAD, LONDON, S.W.19

Telephone: LIBerty 8121/2 Telegrams: ENDFILT, LONDON

6,78

etails OL

hes

ries

er-

ice.

nts

Ltd.

details

/ES

al simul-

DNDON

y 1960

pans.

This is it!



AT LAST, a sensible Diode Tester at a sensible price, small yet robust and packed with practical ideas.

- * Will test all semi-conductor diodes, including Zener
- types.

 * The diode, once connected, need not be touched until its complete characteristics have been taken. D.C. RANGES COVERED :
- * Current: 5 amps to 50 micro-amps full scale. Voltage: 3 volts to 1200 volts full scale. Four position switches with visible indicator give maximum safety.
- * Both voltage and current ranges can be tailored to individual requirements.

Phone Walton 21302/3 or write for full specifications to

R. E. THOMPSON & CO (Instruments) LTD

HERSHAM TRADING ESTATE . WALTON-ON-THAMES . SURREY

Tick No 135 on reply card for further details

PENNY & GILES

MUDEFORD · CHRISTCHURCH · HANTS TELEPHONE HIGHCLIFFE 2855

RECTILINEAR POTENTIOMETERS

FOR REMOTE INDICATION AND RECORDING OF DISPLACEMENT

STROKE LENGTHS

Up to 9 inch for Type LP 2 Up to 24 inch for Type LP 1

TWO RESISTANCE ELEMENTS

AMBIENT TEMPERATURES

Available for use in the following ranges

- -50°C to + 85°C -50°C to +150°C
- -50°C to +250°C

RESOLUTION of 0.001 inch can be achieved

WRITE FOR DATA SHEETS

Also manufacturers of potentiometers in size 11 and size 15 synchro mountings. Single and multi-turn. Single and multi-gang.


Type LP 2

TREND TOWARDS

MINIATURISATION



LEAD AGAIN



- DIMENSIONS # long by # diameter. Axial leadouts 20 s.w.g. tinned copper wire 2\frac{1}{2}' long.
- Standard Tolerances set at 20°C.: 1%, 0.5%, 0.25% and 0.1%
- ANY VALUE can be supplied in the Resistance Range 100 ohms to SOOK ohms.
- Guaranteed Temperature Coafficient better than 8.002% per °C. over the whole resistance range
- Specially selected wire is scaled against humidity in a resin which can withstand temperatures of over 150°C.
- Precision Component designed and manufactured for consistent accuracy.

Standard products include 2W, IW, ½W and ½W precision wirewous resistors in the range 0.1 ohms to 10 magohms. Higher values can also be produced to order.



551 HOLLOWAY ROAD, LONDON, N.19

Telephone: ARCHWAY 0014/5

RELAY USERS

"CORREX" TENSION GAUGES



The only instrument solely designed for accurately measuring tension on Relays, Contacts, Switchgear, and electrical apparatus of all kinds. Gauge measures in grammes, and a large range of sizes is produced to cover from 0.3-2,000 grammes.

Swiss made and guaran-

Write for illustrations and prices from the Distributors throughout the U.K.

JAMES W. GARR & CO. LTD.

Dept. SALES 7-15 Rosebery Avenue, LONDON, E.C.I Telephone TERMINUS 8866 (P.B.X.)

Tick No 138 on reply card for further details



JOHN MORRIS

ELECTRICAL ENGINEERING CO. TEL 41237-8 STAFFS BILSTON

CONTROL RELAYS



- * A new mechanism styled to accept the most up-to-date, pre-cision made, positive self starting, Swiss made Relhor Timing Mechanism.
- * Patented, double break, contact action.
- Generous tracking distances with fully moulded, non-hygroscopic insulation.
- Time delayed pick up or drop off.

ASK FOR LEAFLET CR150453

THE ELECTRONIC INDUSTRIES SOLDERING TOOL FOR THE TRANSISTOR AGE etc.

MODEL (Cat. No. 70)

PROTECTIVE SHIELD (Cat. No. 68)

(Regd. Trado Mark)

ELECTRIC SOLDERING EQUIPMENT

Manufactured in all Volt Ranges from 6/7 to 230/50 Volt with elements Insulated from Earth


A PRODUCT FOR PRODUCTION Designed for continual use on bench line assembly

BRIT. FOREIGN PATS. AND REG. DESIGNS ETC. Standards approved in all leading countries

Catalogues Hend Office, Sales & Service ADCOLA Products Ltd GAUDEN ROAD CLAPHAM HIGH STREET LONDON SW4

Telephones MACaulay 3101 & 4272

Tick No 140 on reply card for further details



TEMPERATURE RECORDING

Temperature Recorders with single or dual pen for flush panel or wall mounting.
Mercury-in-Steel actuation, Also Dial Thermometers for all process work, Bi-metal, mercury-in-steel or vapour pressure. Details on request.


THE BRITISH ROTOTHERM CO. LTD.

Merton Abbey, London, S.W.19. Phone: LiBerty 7661 (6 lines) Nottingham Factory: Hollis Street, New Basford. Phone: 77847

C

CLASSIFIED ADVERTISEMENTS

FOR RATES SEE PAGE 173 SITUATIONS VACANT



ails

nges

bly

AND

in

es

ce

REET

details

ING

ermo

rcury-

LTD.

(6 lines)

1960

DE HAVILLAND PROPELLERS LIMITED

We have teams of engineers working on the design and development of

ENGINE CONTROL SYSTEMS TEMPERATURE CONTROL SERVO MECHANISMS AND FLIGHT SYSTEMS

To LEAD groups carrying out basic circuit and development work on these systems, we need

SENIOR ELECTRICAL ENGINEERS

Applicants should have experience on magnetic amplifiers, transistor circuitry or servo mechanisms, and a degree in electrical engineering or physics, or H.N.C. (Electrical).

These are SENIOR STAFF APPOINTMENTS at Hatfield and applications, in confidence, should be addressed to:—

The Personnel Manager (Ref. 93)

DE HAVILLAND PROPELLERS LIMITED, HATFIELD, HERTS

CONTROL EQUIPMENT manufacturers in Harlow New Town require technical sales representatives. Apply Box C118.

INSTRUMENT ENGINEER

To select and apply all types of instruments on an overall plant basis for measuring temperature purities and recording plant performances. Applicant must have minimum H.N.C. in Mechanical or Instrument Engineering and have had 5 years' experience in the application, design and selection of pneumatic, electrical and electronic instruments for chemical plants.

Apply: Personnel Manager, AIR PRODUCTS (G.B.) LTD., 49/50 Poland Street, W.1.

URGENTLY REQUIRED, timer and relay testers. Apply, Electrical Remote Control Co. Ltd. Harlow 24285.

TIME RECORDING

FACTORY TIME RECORDERS. Rental service. Phone, Hop 2239. Time Recorder Supply and Maintenance Co., Ltd., 157-159 Borough High St., S.E.1.

murphy radio

are further expanding their activities in

ELECTRONIC INDUSTRIAL CONTROLS

This will create the following challenging opportunities in the light current field for men who have sufficient imagination and resource to contribute to the development of new techniques:

- DESIGNER DRAUGHTSMEN to work in close liaison with an associated laboratory section leader. Experience of electronic control systems would be an advantage but is not essential to wellqualified designers.
- DRAUGHTSMEN mainly to do the necessary detail work on these projects, but with ample opportunity to incorporate their own ideas. Prospects of advancement are excellent and the experience gained will be extremely valuable.
- 3. ELECTRONIC ENGINEERS to assist with design and development work in the Industrial Control laboratories. A degree or H.N.C. is desirable, but the most important qualifications are vitality and a capacity for hard work.

Starting salaries will be attractive, and will be assessed according to qualifications, experience and age. Other benefits include excellent working conditions when new laboratory and drawing office accommodation is completed early in the New Year. If you qualify for this stimulating work, write fully to

The Personnel Manager (E. 125), Murphy Radio Limited, Welwyn Garden City, Herts.



TEAM LEADER FOR BLUE STREAK

The planned programme for the Blue Streak L.R.B.M. now offers an exceptional opportunity to a senior engineer. This team leader will sponsor a succession of individual missiles through all stages from planning to firing, and will control and co-ordinate teams of senior engineers under field conditions through the sequence of trials at test sites in the United Kingdom and in Australia.

Experience

Several years' close association with the application and practical use of complex electronic/mechanical systems is essential, and automation or computer experience is desirable.

Qualifications

Degree standard or membership of a recognised engineering institute.

Personal Qualities

Tact and strength of personality are essential for good liaison with range and other authorities.

Location

The team leader will be required to travel and to work for periods at all test sites but will be based at Stevenage, where consideration can be given for housing accommodation.

Applications will be handled personally by W. E. A. Rippin (Ref. STM/104)
Personnel Manager

DE HAVILLAND PROPELLERS LIMITED

STEVENAGE, HERTS.

All details will be treated in the strictest confidence.



DISPLAY ANNOUNCEMENT RATES:-

LINEAGE ANNOUNCEMENT RATES: BOX Nos.:— COPY DATE:—

l insertion 40/- per single col, inch
6 insertions 38/- per single col, inch
12 insertions 36/- per single col, inch
4/- per line. 5% discount 6 insertions, 10% discount 12 insertions
1/- extra will be charged
Advertisements for February issue to be received not later than 25th January

SITUATIONS VACANT

ELECTRONIC ENGINEERS

The Development Division of the Gresham Group of Companies is expanding its activities in the development, design and manufacture of prototype electronic equipment for automatic instrumentation and control systems.

New positions are open for Engineers in the field of

ELECTRONIC DATA PROCESSING

offering exceptional experience in

logic system design transistor and magnetic core circuitry pulse techniques and project engineering.

Applications are invited for these positions from engineers with proven design and development ability and who are capable of undertaking the most advanced circuit design work and of employing the latest techniques and components. Applicants should possess a minimum of a 1st or 2nd Class Honours Degree. Post-graduate experience in the above subjects an advantage.

Starting salary will be commensurate with the high standard of ability required and be in the range £1,300 to £2,000 p.a. The Company operates Pension and Life Assurance Schemes.

For further details please apply in writing to

The Technical Director, GRESHAM DEVELOPMENTS LIMITED 195 Uxbridge Road, Hampton Hill, Middlesex

SUPPLIES



PHIL-TROL SOLENOIDS

New 6 Page Leaflet (No. 108) now available. Covers small and medium solid core types including new types 45, 35, 36 and 37.

Send for your copy now.

Quick Delivery Solenoids are normally despatched same day as receipt of order

CONTROL (G.B.) Farnborough, HANTS. phone: Farnborough 1120



The most highly developed Relay System available





CAPACITY AVAILABLE

IF you require high-class work with prompt delivery, may we please quote you?

CAPSTAN turning up to 1½" dia., Centre Lathe, Multi-spindle Drill-ing, Assembly, etc.

ELECTRICAL CABLE FORMS to customers' specification.

CHARLES BERNARD & CO. LTD

721 North Circular Road, London, NW2

Telephone: GLAdstone 4019

PRESSINGS IN ALL METALS

up to 60 tons

Press tools manufactured in our own toolroom. Light assemblies—Domestic, Electrical and Mechanical. finishes. A.I.D. and A.R.B. approved. Advice and estimates given free.

Inquiries to:

METAL COMPONENTS LTD.

DOLPHIN ROAD SHOREHAM-BY-SEA SUSSEX

Telephone: Shoreham-by-Sea 2224-5

CHASSIS AND PANEL WIRING

Experienced wirers can give prompt deliveries. One off and small quantity work welcomed.

Coilwinding facilities available.

COILWINDING SERVICES

Ruvigny Works, Ruvigny Gardens, Lower Richmond Road, Putney, London, S.W.15

Telephone: PUTney 2667

MACHINING CAPACITY, for small precision turning, Vertical and Horizontal Milling, etc. Prototypes and Special Purpose Machines. Press Tools, Jigs and Fixtures. S. & H. Bryant & Co., 284 High Road, Willesden, N.W.10. Tel. WIL 2323.

PROTOTYPE, small production and model work wanted by small A.I.D. Approved firm. Able to cope willingly and economically with frequent changes in design. Pyfe, Wilson & Co. Ltd., Engineers, Bishop's Stortford (Tel. B.S. 1000 Fet 1). 1000 Ext. 1).

SINCE 1880

Makers of Precision Gears



All types up to 8" diameter 10 to 64 D. P.

Send your enquiries to:-

G. W. EVERY & SONS LTD.

49 Thornhill Rd., Islington, London, N.1 Telephone: North 1827

ELECTRICAL REMOTE CONTROL CO. LTD.

Manufacturers of Electrical Timing and Control Apparatus

- * Range of fully automatic process timers for AC and DC.
- * Range of cam operated hand reset process timers for AC and DC.
- Multiple contact and mercury relays for AC and DC.
- * Special purpose control panels to customers' requirements.



Miniature automatic synchronous timer type MSC. 1-12 continuously adjustable independent timing circuits. Timing ranges between 0-30 seconds and 0-28 days. Switching capacity 10 amps at 230 v AC. Overall dimensions of 6-circuit unit 61 in. × 3 in. × 3 in.

HARLOW, ESSEX

Tel.: Harlow 24285

ADVERTISERS IN THIS ISSUE

Adcola Products Ltd.	170
A.D.S. Relays Ltd.	135
Advance Components Ltd.	138
Advance Components Ltd. (Instruments Div.)	134
Airmec Ltd. Alexander Controls Ltd.	144
Alma Components Ltd.	169
Amphenol (Gt. Britain) Ltd.	26
Anglo-American Vulcanized Fibre Co. Ltd.	32
Avo Ltd.	149
P. C. P. P. L 7.4	140
B. & R. Relays Ltd.	142
Baldwin Instrument Co. Ltd. Beckman Industries Ltd.	43
Black Automatic Controls Ltd.	24
Blackburn Electronics Ltd.	1
Bribond Ltd.	13
British Electric Resistance Co. Ltd.	148
British Ermeto Corp. Ltd.	117
British Federal Welder & Machine Co. Ltd.	
The	166
British Rototherm Co. Ltd., The	170
Bulmers Business Machines Ltd. Burgess Products Co. Ltd.	149
Burgens Products Co. Lie.	143
Carr & Co. Ltd., James W.	170
Carr Fastener Co. Ltd.	27
Chapman & Hall	125
Colvern Ltd. Craven Electronics Ltd.	146
Crosby Valve & Eng. Co. Ltd.	45
Crossy varie to hing, Co. Liu,	40
Davis & Son (Derby) Ltd., John	161
Davy & United Instruments Ltd.	51
Delta Technical Services Ltd.	168
Dewhurst & Partner Ltd.	.58
Diamond H. Switches Ltd. Donovan Electrical Co. Ltd., The	158
Dowty Nucleonics Ltd., The	166
Drayton Regulator & Instrument Co. Ltd., The	
	LID
Eaton Ltd., Timothy	163
Elcontrol Ltd.	150
Electronic Associates Ltd.	133
Electrical Remote Control Co. Ltd. Electro-Hydraulics Ltd.	174
Electro Methods Ltd.	164
Electronic Components	143
Endecotts (Filters) Ltd.	168
Equipment & Services Ltd.	167
Ericsson Telephones Ltd. (Instrument Div.)	64
Ericmon Telephones Ltd.	176
Ether Ltd. 19	, 56

Evershed & Vignoles Ltd.	16
Every & Sons Ltd., G. W.	174
Ferranti Ltd.	11
Fielden Electronics Ltd.	55
Friedland Ltd., V. & E.	162
General Controls Ltd. Globe Pneumatic Eng. Co. Ltd.	167 158
Haddon & Stokes Ltd., Thomas	168
Hasset & Harper Ltd.	41
Hendrey Relays Ltd.	165
Hilger & Watts Ltd.	148
Hivac Ltd.	164
Honeywell Controls Ltd.	61, 136, 147
Hydraulics & Fneumatics Ltd.	129
F.A.C. Ltd.,	125
imhof, Ltd., Alfred	29
incrtia Switch Ltd.	141
insuloid Mfg. Co. Ltd.	152
Kasama Electronics Ltd.	151
Kelvin & Hughes (Industrial) Ltd.	119
Kelvin & Hughes Ltd.	33
Ketay Ltd.	46
Lancashire Dynamo Nevelin Ltd.	39
Lang Pneumatic Ltd.	42
Lock Ltd., A. M.	161
Londex Ltd	160
Lunds of Wandsworth	165
Magnetic Devices Ltd. Magnetic Valve Co. Ltd., The Mannol (Great Britain) Ltd. Martonair Ltd. Maxam Power Ltd. Meterflow Ltd.	62, 63 153 162 151 70 115
Microcell Ltd. Morris Electrical Eng. Co. Ltd., John Muirhead & Co. Ltd. Mullard Ltd. (Components Div.)	7 176 137 44
New Electronic Products Ltd.	54
Newmarket Transistors Ltd.	157
Painton & Co. Ltd. Payne & Griffiths Ltd. Pell Control Ltd., Oliver	49 150 8

Penny & Giles Pilot Plug Gauges Pullin & Co. Ltd., R. B.	169 2 50
Radiospares Ltd. Radiovisor Parent Ltd. Radiovisor Parent Ltd. Rank Cintel Ltd. Record Electrical Co. Ltd. Reliance Manufacturing Co. (Southwark) Ltd. Research & Control Instruments Ltd. Rivlin Instruments Ltd. Robinson & Partners Ltd., F. C.	17 68 6 63 18 28 160
Sangamo Weston Ltd, Saunders-Roe Ltd. Savage Transformers Ltd. Semiconductors Ltd. Servis Recorders Ltd. Short Bros. & Harland Ltd. Short Bros. & Harland Ltd. Simmonds Ltd., L. E. Simplifix Couplings Ltd. Solartron Electronic Group Ltd., The	125 139 34 12 159 47 154 168 123
Southern Instruments Ltd. Sperry Gyroscope Co. Ltd. Square D Ltd. Stanley & Co. Ltd., W. F. Sutcliffe Hydraulics Ltd.	15, 48 5 9 186 18
T.A.L. Numatics Ltd. Taylor Controls Ltd. Teleffex Products Ltd. Telephone Mfg. Co. Ltd. Telequipment Ltd. Telomex Ltd. Texas Instruments Ltd. Texas Instruments Ltd. Thompson & Co. (Instruments) Ltd., R. E. Thora Electrical Industries Ltd. Tinsiey & Co. Ltd., H. Tyer & Co. Ltd., H.	14 121 126 22 23 154 66 169 53 155
Vickers-Armstrongs (Engineers) Ltd.	59
Wade Couplings Ltd. Wallace & Tiernan Westool Ltd. White Dental Mfg. Co. (G.B.) Ltd., The S. White & Riches Ltd. Williams & James (Engineers) Ltd.	163 157 30, 31 S. 146 141 155

Bellows technology The Drayton catalogue gives full technical information on the physical and mechanical properties of Hydroflex seamless Metal Bellows. Separate sections are devoted to typical designs, the soldering of assemblies and the prediction of life under various operating conditions. Your copy is available on application to Dept. C,

HYDROFLEX seamless Metal Bellows



0.2

THE DRAYTON REGULATOR & INSTRUMENT CO. LTD., WEST DRAYTON, MIDDLESEX

West Drayton 4012


ry 1960

CONTROL

Tick No 200 on reply card for further details



FROM THIS



YOU CAN GET THIS

MINIATURE A.C. CHOPPER

FEATURES INCLUDE | or 2 change overs-make before break or break before make, as required.

> Screened leads and designed space relationships between components reducing noise level to the minimum.

> High stability and long life (in typical AC/DC amplifier applications, runs in excess of 1,000 hours are considered normal between contact trims).

From 10 to 100 c.p.s. working available.

Driving power — 10 to 50 m/v Amp. according to frequency.

Write now for further details to:



ELECTROMECHANICAL DIVISION

BEESTON, HOTTINGHAM ENGLAND . TEL: BEESTON 254831

as

nts ns, en

36

X